

2025 - 2026 CATALOG



At Dive-clean, our mission is to safeguard the health and vitality of our oceans through sustainable diving practices and eco-conscious products. Since 2020, we've championed environmental stewardship by offering reef-friendly anti-jellyfish sunscreen and snorkels made from eco-friendly PU material.

Our commitment extends beyond product innovation to packaging sustainability. We ensure our packaging is 100% recyclable, reusable, and minimize waste through initiatives like naked packaging. We believe in leading by example, inspiring others to embrace responsible diving and conservation efforts.

By diving in, diving green, and diving clean, we strive to preserve marine ecosystems for future generations. Our mission is not just a goal; it's a call to action for all who share our passion for protecting the ocean's delicate balance and the life it sustains. Together, we can make a difference, one dive at a time.





Since 2020, IST Sports has been serious about ocean pollution cause by plastic. We've cut down around 60% of plastic packaging by making three important changes to our designs.

- Switched to use cardboard material that can be recycled completely.
 Started to sale some of our products without any packaging at all.
 Entroduced reusable packaging sush as mask storage box.

Take a chance to see how we put our effort to dive in, dive green and dive clean.



Reduce 60%



ROAD TO DIVE-CLEAN

We're more than just a sports gear company; we're passionate about protecting our oceans and beaches. Through beach clean-up and ocean clean-up events, we're actively working to combat marine pollution. Join us in making a difference as we clear harmful debris and raise awareness about the importance of environmental conservation. Dive in with us and be a part of the solution!







DIVE-CLEAN PROJECT PACKAGING







At IST Sports, we are committed to minimizing our environmental footprint by prioritizing the use of eco-friendly packaging solutions. Our mission is to harness innovative and sustainable materials that reduce waste, conserve natural resources, and protect ecosystems. By employing eco-friendly packaging, we aim to inspire positive change in the industry and contribute to a healthier planet for future generations.

By embracing eco-friendly packaging, we not only fulfill our responsibility as stewards of the environment but also empower our customers to make environmentally conscious choices. Together, we can create a more sustainable future, one package at a time.

WETSUIT







COMBO SET



Reduce 100%





SOCKS





Reduce 100%





BOOTS







ACCESSORIES



Reduce 100%





Reduce 95%



HISTORY OF IST SPORTS

FOUNDED 1976

Company founded in Taiwan. Siblings Irene, Stanley and Tony join together to form IST Sports. Named after their combined initials symbolized a community effort work together toward a better future. When IST was first established, their primary products were windsurfing boards. As a pioneer in the market, they produced great quality at more affordable prices. Earning high praise from their new customer base.

1987

IST Proline and the iconic IST dolphin logo were both established in this year. IST continued to broaden their production of diving equipment. In the same year, the California branch was set up, marking their entrance into the United States diving market.

1988

Design and sale our first recreational SCUBA diving regulator set and BCD in the United States market.

1989

Release our first commercial diving equipment for cold-water. Same year, release our first rubber material fin for SCUBA Diver.

1991

Start up SCUBA diving wetsuit manufacturing factory in China.

1992

Partnership with Sea&Sea company open IST United Kingdom branch in England. Same year, produce unique sneaker-sole diving boot to the market.

1996

Design our first digital SCUBA diving computer in Finland.



1997-1999

Design and manufacture our first SCUBA diving dry suit in United Kingdom. Co-invented with local brand to design underwater Sonic Seeker in Australia.

2000

Collaborate with Nature's Wing company introducing our Talaria Fin (F-2) and Pegasus Fin (F10) to the market. Design and patented Pro-Ear diving mask.

2005

We introduce camouflage patterns tailored for the spearfishing market. Also, designed an aluminum-framed mask for the SCUBA diving market.

2008

Open up Dolphin Tech brand for designing technical diving equipment.

2012

Dolphin Tech brand start up designing commercial diving product. Start up developing freediving equipment for the market.

2015

Introduce technical diving side-mount BCD under Dolphin Tech Brand,

2020

Strat of Dive-clean Project reducing plastic packaging mission. Focus on developing more Freediving equipment to the market,

2022

Focus on developing watersports gear and beach wear.

2024

Now we are selling in more than 125 countries worldwide.

TABLE OF CONTENT

HARD GEAR

BCD6
REGULATORS 10
GAUGE & CHECKER 13
HOSE 15
HARD GEAR ACCESSORIES & TOOLS 17
CONNECTOR & ADAPTER22

SOFT GEAR

MASK	··· 24
PROEAR MASK ·····	··· 36
SNORKEL ·····	··· 38
FIN	··· 42
COMBO SET ·····	··· 47
MASK & PROEAR MASK ACCESSORIES ··	··· 49
SNORKEL ACCESSORIES	··· 51
FIN ACCESSORIES	··· 52

NEOPRENE GEAR

PURIGUARD	 	 	 	 	 			 	56
ICOOL	 	 	 	 	 	٠.	• • •	 	64
GLOVES	 	 	 	 	 			 	68
SOCKS	 	 	 	 	 	٠.		 	70
BOOTS	 	 	 	 	 	٠.		 	71

WATERSPORTS GEAR

BEACH POUNCHO /6	
DIVE SKIN 77	
COAT	
SUNSCREEN 77	
LOGO WEAR 78	
HAT79	
SWIMMING GEAR80	
SNORKELING VEST 81	

YOUTH GEAR

MASK	····· 82
SNORKEL	83
FIN	83
NEOPRENE GEAR & RASHGUARD	84
COMBO SET	86

FREEDIVING GEAR

MASK	····· 88
SNORKEL	90
FIN ·····	91
NEOPRENE GEAR	92
HAT	93
FREEDIVING BUOY	94
ACCESSORIES	96

RENTAL GEAR

HARD GEAR COMBO SET	98
SOFT GEAR COMBO SET	100
FIN	100
NEOPRENE GEAR	101
BOOTS	101

HUKA

HUK A	102

TECHNICAL DIVING GEAR

TECHNICAL BCD COMPONENTS	104
TECH DIVING GEAR	106
TANK VALVES	114
COMMERCIAL DIVING	116

ACCESSORIES

TORCHES	
BAGS ·····	119
KNIVES	123
REELS	125
BUOY	····· 126
WRITING SLATE	127
ARROWS	128
SIGNALING DEVICES	128
MOUTHPIECE	129
WEIGHT ACCESSORIES	130
DRIFT HOOK	132
CLIPS & LANYARD	133
DIVE FLAG	133

J-1900/E DELTA BUOYANCY CONTROL DEVICE

DELTA

Features include:

- 33lbf(147N) back inflated bladder
- Stainless steel D-rings, 2 on Shoulder, and 2 on waist Harness
- Reshaped and upgraded bladder provides better control of buoyancy and keeps divers at vertical position at the surface
- K style power inflator with pull dump
- 16" Military grade corrugated rubber inflation hose
- 2 quick-release weight pockets; Max. load 4kg(8.8lb) each
- ONE SIZE FITS MOST

C€ APPROVED







K style power inflator with pull dump

J-1700 MERCURY BUOYANCY CONTROL DEVICE

Mercury

Features include:

- Durable 420D TPU coated Nylon shell.
- Cold water capable power inflator (IF-1700/N) with pull dump.
- 2 additional rear quick dump valves.
- Adjustable sternum strap.
- 2 rear trim pockets take up to 1kg (2.2lb) of weight each.
- 2 integrated weight pockets (4kg each).
- Padded backpack.
- All new designed waterproof dump valves that prevent water from entering the bladder





2 additional rear quick dump valves



Dump Valve





SIZES Waist (cm/inch) Buoyancy Chest(cm/inch) XS 120N(11.8kgf/26lbf) 66-91/26"-36" 64-81/25"-32" 140N(14.1kgf/31lbf) 76-102/30"-40" 74-91/29"-36" S

170N(17.2kgf/38lbf) 87-112/34"-44" 84-102/33"-40" 220N(22.2kgf/49lbf) 97-122/38"-48" 94-112/37"-44" XL 270N(27.2kgf/60lbf) 102-127/40"-50" 104-122/41"-48"

J800-1000D HOPE BUOYANCY CONTROL DEVICE




Features include:

- Simple yet traditional jacket style BCD
- Tough 1000D cordura.
- Cold water capable power inflator with pull dump.

• 2 additional rear quick air dump valve.

 Adjustable sternum strap. • Strong and lightweight delrin D-rings. • 2 roomy side pockets with Velcro closure





Waterproof Dump Valve



2 additional rear quick dump valves



SIZES	Buoyancy	Chest(cm/inch)	Waist (cm/inch)
XXS	70N(6.8kgf/15lbf)	66-91/26"-36"	64-81/25"-32"
XS	120N(11.8kgf/26blf)	66-91/26"-36"	64-81/25"-32"
S	140N(14.1kgf/31lbf)	76-102/30"-40"	74-91/29"-36"
М	170N(17.2kgf/38lbf)	87-112/34"-44"	84-102/33"-40"
L	220N(22.2kgf/49lbf)	97-122/38"-48"	94-112/37"-44"
XL	270N(27.2kgf/60lbf)	102-127/40"-50"	104-122/41"-48"

IF-O INFLATOR OCTOPUS

IST's high-performance second stage regulator combined with power inflator.

IF-O is set in front of you, unlike a traditional octopus, and can be reached at any time when emergency.

- Coupled with our high-spec, large bore intermediate pressure hose. Max. service pressure @34.5bar (500psi).
- Ultra soft front cover allows you to reach the purge button
- Cracking pressure setting @1.4 1.6 inch of water.
- Max. service intermediate pressure @10bar (145psi).
- Designed to fit 3/4" rubber inflator corrugated hose.













IFO-38A ADAPTOR

Adapter for IST IF-O inflator octopus with 1" corrugated hose



R-860

BALANCED DIAPHRAGM REGULATOR SET

This latest regulator from IST is not only feature-packed and capable of handling a high work load, it can also be used in both warm and cold water conditions.

C€ APPROVED





R-860/N-5 BALANCED DIAPHRAGM ANTI-FREEZE REGULATOR SET WITH 5TH PORT

C€ APPROVED





R-860/N-DIN/5

BALANCED DIAPHRAGM ANTI-FREEZE REGULATOR SET WITH 5TH PORT

C€ APPROVED





R-8 BALANCED DIAPHRAGM 1ST STAGE

- The R-8 balanced diaphragm 1st stage has a high-flow, fast-acting valve system that is capable of delivering large amount of breathing gas in an instant, irrespective breathing demand, cylinder pressure or depth.
- It has not only passed the stringent CE test but the performance is comparable with the best available
- 4 intermediate pressure ports (located in the swivel turret) and 2 high pressure ports
- Inter. pressure setting @ 206 bar (3000psi): 3820L/min (135cuft/ min)



R8/5-N R8/N-DIN/5

BALANCED DIAPHRAGM 1ST STAGE ANTI-FREEZE MODEL WITH 5TH PORT

- Extension design from IST R-8 balanced diaphragm 1st stage with an additional intermediate pressure port (5 ports in total)
- Available with YOKE(R8/5-N) or 300 bar DIN (R8/N-DIN/5).
- Only anti-freeze model.



O-60 BALANCED 2ND STAGE

- The O-60 second stage is equipped with a metal balancing tube and an adjustment knob. They are able to meet heavy breathing demand with ease and in extremely cold water they also act as heat sink to prevent icing.
- The volume of air leaving the valve can be fine-tuned by the adjustment knob on the side of the O-60 at any time so the diver can choose to breathe conservatively, or to open the valve up for more air in physical demanding situations.
- The pre-dive/ dive switch next to the adjustment knob prevents the valve from free-flowing while on the surface.
- The second stage comes with our high-spec, large bore intermediate pressure hose (max. service pressure @ 34.5 bar/ 500psi) which flows sufficient breathing air even when the demand is heavy.
- Cracking pressure setting @0.8 1.2 inch of water
- Flow rate @ 206 bar (3000psi): 30_ cuft/min
- Max service intermediate pressure @ 10 bar (145psi)







R-750 FLOW-THROUGH PISTON REGULATOR

• IST's R-750 was designed and developed with reliability as main priority. It is simple to use and easy to service. The proven technology used means with proper care and maintenance, it gives years of trouble-free diving.

• For use in waters warmer than 10 °C





R-7 FLOW-THROUGH PISTON 1ST STAGE

- Piston technology has been used in SCUBA for many years; this 1st stage can handle lots of abuse and is easy for technicians to service.
- Available with Yoke 200 bar.
- Inter. pressure setting @9.5-10.0 bar (137-145psi) Ventilation rate @ 206 bar (3000psi): 3110L/
- 4 intermediate pressure ports and 1 high pressure port.



O-50 DOWN-STREAM 2ND STAGE

- Reliable and robust, the O-50 uses the time-proven, easy to service down-stream valve. Coupled with our high-spec, large bore intermediate pressure hose (max. service pressure @ 34.5 bar/ 500psi), it flows more than enough air even when breathing demand is high
- The light-action purge button is easy to access
- The pre-dive/ dive switch atop the second stage housing prevents free-flow while the diver is on the surface
- Cracking pressure setting @ 1.2 inch of water
- Flow rate @ 206 bar (3000psi): 30 cuft/ min
- Max service intermediate pressure @ 10 bar (145psi)



GP-9200 TRIPLE GAUGE CONSOLE

- Standard pressure gauge, depth gauge and compass.
- Large gauge face is easy to read.
- Max. Depth rating: 80M (262ft)
- Max. pressure reading: 300 bar (or 5000 PSI)
- Standard 30" (76cm) high-pressure hose included.
- Available in Metric and Imperial readings (sold separately).

C€ APPROVED



GP-500 MINI TRIPLE GAUGE CONSOLE

- Mini pressure gauge and depth gauge console with the compass located on the reverse side.
- Large compass with bezel and side window for easy
- Maximum depth reading: 60m (200ft)
- Maximum pressure reading: 400 bar (or 5000psi)
- Glow in the dark gauge faces.
- Available in Metric and Imperial readings (sold separately).

C€ APPROVED





GP-600 MINI TWO GAUGE CONSOLE

- Same features as GP-500 with a mini writing slate at the back instead of the compass.
- Available in Metric and Imperial readings (sold separately).

C€ APPROVED





GP-15MINI SPG

- Super low profile, lightweight pressure gauge encased in durable TPR
- Luminous dial face
- Maximum pressure reading: 400bar (or 5000psi)
- Dial face Ø 5cm (2") **C€ APPROVED**



CT-2/N

GP-16/ GP16-OXPONY BOTTLE GAUGE

- Small and compact, measures 1.8cm (0.7") wide and weighs 40g (1.40oz)
- Glow in the dark gauge faces.
- Maximum pressure 350 bar (or 5000psi)
- GP16-OX for nitrox divers.





CT-1/N

• DIN tank pressure checker (300 bar, G 5/8)







CT-3

• Intermediate pressure checker (BC hose connector)



GP-23 WRIST COMPASS

- Bezel with side window for easy reading
- Luminous face
- Durable boot with strap





CT-6

• 2nd stage in-line adjustment tool with intermediate pressure gauge



LOW PRESSURE HOSE

QUICK CONNECT BC HOSE





RUBBER							
PART#	DESCRIPTION	LENGTH	COLOR				
HP - 6IN	Stage Bottle High Pressure	15cm(6")	•				
HP - 24in	CDC Lligh Drogguro	61cm(24")	•				
HP	SPG High Pressure	76cm(30")	•				
LP - 22in/BC	Quick Connect Low Pressure	56cm(22")	•				
LP - BC	Quick Connect Low Pressure	69cm(27")	•				
LP - 22in		56cm(22")					
LP - 1		69cm(27")					
LP-OCTO	Dogulator Low Proceura	90cm(36")	• • •				
LP - 40in	Regulator Low Pressure	100cm(40")					
LP - 5ft		152cm(5')					
LP - 7ft		213cm(7')					

BRAIDED LOW PRESSURE HOSE

BRAIDED QUICK CONNECT BC HOSE





BRAIDED					
PART#	DESCRIPTION	LENGTH	COLOR		
LP - BC/MF	Quick Connect Low Pressure	69cm(27")	•		
LP - 1/MF	Regulator Low Pressure	69cm(27")	•		
LP - OCTO/MF		90cm(36")	•		

LP-1/SC 2ND STAGE 360° SWIVEL HOSE

- Low-pressure hose connect with 2nd stage 360° swivel
- Length: 69cm (27")



LP-OCTO/SC OCTO 360° SWIVEL HOSE

- Low-pressure hose connect with 2nd stage 360° swivel
- Length: 90cm (36")





BP1-1 BACK PACK

Classic diving backpack with tank bands and high quality webbing set. (304 S.S. cam buckle)



OPRV-1

- Adjustable 1st stage over pressure valve.
- Pressure releases from 11.7 bar (170 PSI) up.



DC-2P 1ST STAGE PLASTIC DIN **DUST COVER**



SFP-2 **OCTOPUS PLUG**



BP2/S STEEL CAM BUCKLE CYLINDER BAND

The cam buckle is made from 316 stainless steel. It is high in tensile strength and is resistant to corrosion. This cylinder band is a great upgrade from our standard BP2. Fits cylinder with outside diameter from 183mm (7.25") to 203mm (8").



BP2/I TANK STRAP

The strong, lightweight cam buckle can withstand rigorous use. Supple 2"(5 cm) webbing makes threading an easy task. Fits tanks with diameter from 175mm(6.9") to 203mm(8")



ON-1 OCTOPUS NECKLACE

• Worn around the neck so the octopus can be quickly located in an emergency.

SIZES	CIRCUMFERENCE		
S	60cm (23.5")		
М	72cm (28.3")		
L	80cm (31.5")		



MPC OCTOPUS COVER

- 2nd stage/ octopus mouthpiece cover.
- Can be used as an octopus holder.
- Can be used with a variety of mouthpieces.









HPSW1

• Shouldered air spool.

HPSW2

• Standard air spool.

HPSW3 HIGH PRESSURE HOSE SWIVEL SPOOL

 Long air spool.



DT-5

• Overall length: 6cm(2.35") when folded

It contains:

Allen key: (1/4", 3/16" 5/32")	хЗ
O-ring pick	x1
Phillips screwdriver	x1
Orifice adjustment flat screwdriver	x1
Inflator Schrader valve tool	x1
Valve nut slotted screwdriver	x1







DT-7

DT-8 MULTI-TOOL SCREWDRIVER

- Material: Chrome Vanadium Steel
- Total length: 73cm (2.9")
- Flat screwdriver: 2mm, 5mm
- Allen key: H2, H2.5, H3, H4, H5, H6
- Phillips screwdriver: PH2
- Star screwdriver: T10



OR-4 10PCS DIVER'S O-RING KIT

• Contains:


SPG swivel spool O-rings	X
Low pressure hose female	X
O-rings	Λ.
Low pressure hose male	X
O-rings	^-
High pressure hose male	X
O-rings	Α.
Tank valve (YOKE) O-rings	X
Silicone grease (2g)	X



OR-5 20PCS DIVER'S O-RING KIT

• Contains:

SPG swivel spool O-rings	х4
Low pressure hose female O-rings	хЗ
Low pressure hose male O-rings	x5
High pressure hose male O-rings	x2
Tank valve (YOKE) O-rings	х5
Tank O-ring (neck)	x1
Silicone grease (2g)	x1



DT-2/A DIVER'S TOOL KIT

- · Handy tool kit for convenient and guick maintenance of diving equipment.
- It contains:

Knife	x1	
5" long osee pliers		
Awl	x1	
1/4" sockets: 4mm, 4.5mm	x2	
Assorted screwdriver bits	x7	
6" adjustable spanner	x2	
Cable tie	x4	
1/4" drive	x1	
Allen key: 4mm, 5mm, 6mm, 3/16"	x4	
1/4" adapter	x4	



DT-4/A REPAIR TOOL KIT

IST new version driving tool kit for hard gear repair


- 1 Allen Key Set (4mm, 5mm, 6mm, 8mm, 3/16"): 1
- 2 Tank Valve Knob Screwdriver: 1
- 3 Adjustable Spanner: 1
- 4 O-ring Picker (3 in 1 set): 1
- 5 2nd Stage 4 Slot Tool: 1
- 6 Nut Remove Tool: 1
- 7 1st Stage Pin Spanner: 1

- 8 1st Stage Connect LP Port & HP Port Handle: 1
- 9 BCD Low-Pressure Hose Valve Tool: 1
- 10 Pointed C-Clip Pliers: 1
- 11 2nd Stage Orifice Adjustment Tool: 1
- 12 2nd Stage Retainer Ring Opener: 1
- 13 Diagonal Pliers: 1



DT4-01 ALLEN KEY SET

• 4mm, 5mm, 6mm, 8mm, 3/16"



DT4-02 TANK VALVE KNOB SCREWDRIVER





DT4-04 O-RING PICKER 3 IN 1 SET

DT4-05

2ND STAGE 4 SLOT TOOL











DT4-07



DT4-10 POINTED C-CLIP PLIERS

DT4-11 2ND STAGE ORIFICE ADJUSTMENT TOOL



DT4-12 2ND STAGE RETAINER RING OPENER





BCHH-4

• Magnetic design allows for quick access to and secure storage of the backup second stage.

(NEW/

• Screw-lock base can be disassembled without tools and fits hoses of various diameters.







SGT-2 SILICONE GREASE

- 60g(2.12oz) silicone grease.
- Large volume for shop use.





• Overall Length: 11.5cm (4.5")

• 3 hose holders with clip.





BCHH HOSE HOLDER

ВСНН-3

Can be clip on to D-rings to arrange hose in a tidy manner and reduce



SGT-4 SILICONE GREASE

• 15g (0.53oz) silicone grease tube



SGT-5 SILICONE SPRAY

- 250ml(8.5oz)
- For lubrication on O-rings or any other product



HP-2 HOSE PROTECTOR

• Prevents hose being kinked at the base.



HP-4 HOSE PROTECTOR

• Lager caliber base easy installation.

Inside Diameter		
Base	Ø1.8cm (Ø0.71")	
Тор	Ø1.2cm (Ø0.47")	



VP-4 DIN VALVE PLASTIC CAP



VP-3 YOKE VALVE DUST COVER

TK-1 TANK KNOB

- Material: Rubber
- Available in black or green to signify Nitrox / Oxygen tanks.









TB-1 PLASTIC TANK BOOT

- Fits tank with Ø18.4cm(7.25")
- Drainage channels and holes.



TB-2 RUBBER TANK BOOT

- Fits tank with Ø18.4cm(7.25")
- Drainage channels and holes.



SBR-2 STAGE BOTTLE RIGGINGS SBR2-1 STAGE BOTTLE RIGGINGS





HP-2

YK-03

• DIN to Yoke 1st stage converter – for either 200 or 300 bar (G 5/8) DIN connectors


YK-04

• DIN to Yoke tank valve converter – for tanks with 200 bar DIN outlet (G 5/8) only



N-1

• Air nozzle with BC hose connector







N-4

• 90 degree adapter for 2nd stage



N-5

- Stainless air nozzle
- For land use only!



N-6

• Tire inflator



N-7

• 2nd stage swivel



N-8

- Copper chrome plating covered by aluminum alloy.
- QD connector design for BC hose.
- With this inflator, FD-IT/15 inner tire can be fully inflated in 15 second



RA-2

• Adapter: 1/2" male to 3/8" female



RA-6


• 1st stage 110° adapter changes the angle the intermediate pressure hose leaving the 1st stage for better hose routing and streamlining purpose



RA-9

- 1st stage 90° adapter changes the angle of the high pressure hose leaving the 1st stage for better hose routing and streamlining purpose.
- Allows 360° swivel.
- 7/16" male to 7/16" female







IST UNIQUE TECHNIQUE Anti-fog Film Lens

WITH
IST UNIQUE TECHNIQUE
ANTI-FOG FILM



NORMAL MASK LENS



Introducing IST's Multi-Layer Anti-Fog Nano Film Technology, a breakthrough in fog prevention for a clearer vision underwater. This innovative technology utilizes multiple layers of nano-thin films, engineered to adhere to surfaces, such as dive masks, ensuring long-lasting effectiveness. The specialized coating reduces the contact angle of water molecules, minimizing fog formation by impeding moisture adhesion. IST's advanced solution provides unparalleled clarity and visibility, enhancing the diving experience for enthusiasts worldwide.

Dive confidently with us, where crystal-clear views meet cutting-edge innovation!

IST MULTI-LAYER ANTI-FOG NANO FILM TECHNOLOGY

By employing IST Multi-layer Anti-fog NANO film technology, the coating adheres to the mirror surface, effectively enhancing the anti-fogging effect of the visor while being permanently attached to the lens. The surface of this thin film possesses low contact angle characteristics, aiming to reduce the angle at which water molecules come into contact with the lens. This prevents water vapor from easily adhering to the lens surface, thereby slowing down the formation of fog.



WHY DIVERS NEED ANTI-FOG TECHNIQUE FOR MASK?

An anti-fog lens mask is essential gear for divers, ensuring uninterrupted visibility and enhancing safety during underwater adventures. IST offers a unique solution with its advanced NANO technology processed over TAC-TriAcetate. Unlike traditional methods, IST's technique provides a two-sided anti-fog function, delivering ultra-high transparency and a permanent anti-fog solution. By choosing IST's innovative mask, divers prioritize clarity, safety, and reliability. With IST, divers can dive confidently, knowing their vision remains clear and unobstructed, even in challenging underwater conditions. Embrace the unparalleled clarity and durability of IST's anti-fog mask and unlock a world of limitless exploration underneath the waves.



MP-210 BSM/AF



MP-203 BSM/AF



START UP YOUR ANTI-FOG EXPERIENCE




Matte protect films on both lens.



Remove protect film before first time used.



The lens will be clear after the removal of the film.



Moisturizing both lens thoroughly before activity.



Should rinse your mask after each dive.

M-1000/AF DIVE FACE ALLFOR NEW





• Anti-fog lens available.

- Comfortable Fit: The silicone skirt ensures a secure and comfortable seal against the face, reducing leaks and enhancing overall comfort during use.
- Quick-Release Straps: Equipped with quick-release straps, this mask allows for effortless on and off, making it convenient for divers in any situation.
- Jaw Fatigue Prevention: The full face design completely prevents jaw fatigue, allowing for longer, more enjoyable dives without discomfort.
- Natural Breathing: Experience the freedom to breathe easily and naturally through both the nose and mouth, enhancing your underwater experience.
- Efficient Exhalation: Simply exhale water through a one-way valve, ensuring that water doesn't enter the mask and keeping your breathing smooth and uninterrupted.



Can be attached with most of the 2nd Stage





Simply clear water through a one-way valve.



MS-1000 DIVE FACE MASK STRAP

- Mask strap for M-1000 Dive Face Mask.
- Available in black color.
- Material: Silicone



MP-210 *SONIC* MP-210/AF Anti-Fog Lens

- Extreme Low volume Frameless mask
- Made from hypoallergenic liquid silicone
- Prefect design for SCUBA and Free diving
- Anti-fog lens available.



















- Yellow anti-fog film with mirror reflection
- Enhance better visual experience while diving deep in the ocean
- Resuable + Easy to clean + Long lasting anti-fog feature
- Great for SCUBA diver and Spearfishing









MP-203 MP-203/AF Anti-Fog Lens



- Extremely low volume design.
- Swivel and easy-adjust buckles.
- Ideal for hunters and photographers.
- The highest grade silicone available for a soft
- Perfect as a spearfishing, free diving or back-up mask as it folds and fits easily in your BCD pocket.
- Tempered glass for safety and durability.
- Non-polish finished mask skirt prevents from reflecting of sunlight.
- Anti-fog lens available.















• Optical lenses are available in -1.5 to -8.0 in -0.5 decrement.









MP203/AF-BSM HUNTER

- Yellow anti-fog film with mirror reflection
- Enhance better visual experience while diving deep in the ocean
- Resuable + Easy to clean + Long lasting anti-fog feature
- Great for SCUBA diver and Spearfishing









MP-201 PROTEUS MP-201/AF Instruction

• Comes with tinted lenses to enhance underwater colors

• Metal-Like painting technology for more colors of choice

• Super low volume design makes this mask become the best choice for free diving

• Anti-fog lens available.













M-80 SEARCH M-80/AF Anti-Fog NEW



• Anti-fog lens available.

- Low in profile and internal volume, Search's swivel buckle can be adjusted to suit each diver's preferences.
- The mask is well suited to people with slightly narrower face.

OL80

- Optical lens are available in -1.0 to -8.0 in -0.5 decrement +1.0 to +4.0 in +0.5 increment
- Left / Right lenses are interchangeable.











M-88 BLUETECH M-88/AF Anti-Fog NEW

• Anti-fog lens available. • The bendable buckles are attached to the stretchy hypoallergenic silicone skirt so they will not interfere with fitting and this feature enables the mask to be packed into tight luggage space while preparing for a trip.























M-55 CORONA M-55/AF Anti-Fog Lens

- Corona has been one of the most popular IST masks and its superior fitting and comfort are the reasons behind the success.
- Its swivel buckle allows the diver to adjust the mask to the most desirable position. The low internal volume gives unrestricted view.
- Anti-fog lens available.

















- Optical lenses are available in -1.0 to -8.0 in -0.5 decrement (also for tinted lens) +1.0 to +4.0 in +0.5 increment (not available for tinted lens)
- Left / Right or tinted optical lenses are interchangeable.







• Optical lens stickers at the bottom of the lens for ME55 and M-55 masks. Available in diopter from +1.0 to +4.0 in 0.5 increment.

BS/BK

• Left / Right lenses are NOT interchangeable.





M-75 MARTINIQUE M-75/AF Anti-fog Lens

- Anti-fog lens available.
- The colorful Martinique has a twin-injection sub frame that gives this mask a modern appearance.
- The comfortable, high quality hypoallergenic silicone skirt fits a wide range of facial shapes with an assuring seal.



















MP-212 DORIS NEW

The dual-color streamlined frame design adds depth and style.

- Tempered glass lenses enhance safety.
- The smooth silicone skirt fits seamlessly with the frame for added comfort.
- Available colors: BS-BK, CB, and Y.













MP-211 NEREUS

- Ultra soft and comfortable silicone skirt mask
- Easy adjusting mask buckles attached to the skirt
- Fits a wide range of facial profiles











M-100 PANORAMA

- By using lightweight and robust 6000 series aluminum, this mask is possibly the strongest on the market today.
- The frame measures only 8.1mm (0.32") in thickness and the bridge area is merely 7.3mm (0.29") in width.





























BS/HP





M-200 SYNTHESIS

- By combining CNC and plastic injection construction methods
- Uses the same **aluminum** as the Panorama to give the mask its stout base to support the twin-colored sub frame.

OL80

- Optical -1.0 to lenes are available in
- -8.0 in -0.5 decrement
- +1.0 to +4.0 in +0.5 increment
- Left/Right are interchangeable.















M-30 DRAGO

OL2/OL2M

- Optical lenses for M-30 DRAGO are available in diopter from -1.0 to -8.0 in -0.5 decrement.
- Left / Right or tinted optical lenses are interchangeable.























• Optical lenses can be easily installed TOOL-FREE!

OL4

- Optical lenses are available in diopter from -1.0 to -8.0 in -0.5
- Left / Right lenses are NOT interchangeable.

















M-9 SATURN









MP-110



- Frameless mask made from hypoallergenic liquid silicone
- Easy adjusting mask buckles attached to the skirt.
- Fits a wide range of facial profiles with comfort.











MP-111

Scope

• Single-lens mask with hypoallergenic silicone skirt











BS/BK

M-45 VENUS

- Oversized lens design significantly increases field of vision horizontally and as well as vertically.
- The internal volume, however, is not increased noticeably as the lens is brought closer to the eyes as much as possible.











M-11 DYNASTY

• Equipped with a protected nose purge which enables hand-free water clearance and equalization can be easily achieved even when wearing thick gloves.















M-12 IMPERIAL

• One of IST's most popular multi-window masks, the Imperial is popular with snorkelers and divers who needs hand-free water clearance and panorama-like view with good peripheral vision.













M-50 SHADOW

- Oversized lens design significantly increases field of vision horizontally and as well as vertically.
- The internal volume, however, is not increased noticeably as the lens is brought closer to the eyes as much as possible.











M-27 TORTUGA

- Stainless steel frame mask
- Best for underwater photo shooting







M27/P THETIS

- Best for underwater photo shooting
- Ultra soft and comfortable silicone mask and skirt
- Plastic Frame Mask







M2-R AQUILA

Material: Rubber



M37 PEGASUS

Material: Black Silicone or Rubber



PROEAR MASK

Difficulty in equalization or the potential ear infections are problems that can happen to any diver regardless of their experience. It can become serious enough to stop one from diving. Solution: The IST ProEar Mask is manufactured to the highest standard and only the best available materials are used. It is designed to counter most of the unavoidable effects of pressure or water has on ears so you can have a more enjoyable underwater time.

REACH Approved EN 16805 Approved

Strap

Mounted on swivel buckles, the silicone strap with its large contact surface secures the mask to the wearer.

Skirt

Made from the best grade of crystal clear, hypoallergenic silicone, the skirt is soft and automatically conforms to a wide range of facial profiles.

Far Covers

The soft silicone Ear Covers forms a water tight seal between the ear drum and the cover. The pressure buffer created to have the same pressure as your nasal cavity mask when air exhaled through the nose is introduced through the Equalization Tubes. Therefore

pressure in the middle and outer area is the same and the "squeeze" from the ambient will be significantly reduced. Other benefits from keeping the ears sealed also include reducing the chance of an ear infection from water, plus improved sense of direction and warmth retention.



Optical Lenses(ME80) **OL80**

- · Optical lens are available in
- -1.0 to -8.0 in -0.5 decrement (also for tinted lens)
- +1.0 to +4.0 in +0.5 increment (not available for tinted lens)

OL55/OL55M (ME55)

- · Optical lenses are available in
- -1.0 to -8.0 in -0.5 decrement (also for tinted lens)
- +1.0 to +4.0 in +0.5 increment (not available for tinted lens)
- · Left / Right or tinted optical lenses are interchangeable.

OL55/S

- Optical lens stickers at the bottom of the lens for ME55 and M-55 masks. Available in diopter from +1.0 to +4.0 in 0.5
- · Left / Right lenses are NOT interchangeable.

Equalization Tubes

With one-way valve placed inside each tube, air is allowed to travel only from the mask to the ear covers for pressure equalization and water clearance while stopping water from flooding the mask in the unlikely event of flooded Ear Covers.

How does the ProEar mask function?

The squeeze we feel during a dive is caused by the imbalance of pressure either side of the ear drum. While our ear canal is exposed to water and ambient pressure, our middle ear (which is on the other side of the ear drum and is connected to our nasal cavity by Eustachian tube) is still filled with air and experiences less pressure. The greater external force is able to push our ear drum inward, causing discomfort or pain. With ProEar mask, the ears are completely sealed off from the outside. To have the same pressure as your nasal cavity, it is able to be introduced through the Equalization Tubes into the Ear Covers. Therefore the pressure on both sides of the ear drum becomes equal. So as pressure and depth increase, the simple act of breathing air into your Ear Covers can significantly improve your enjoyment of diving!

Benefits of using IST ProEar mask

- Pressure equalization can be easier achieved!
- Prevents pressure induced ear ache (barotrauma)
- Enhanced underwater hearing and sense of direction.
- Stops dirty / polluted water from entering the ear causing infection.
- Increased warmth around the ear in cold water condition (a specially designed ProEar hood is available separately)

Available models

ME80-CB ME80-CB/AF Anti-Fog Lens











ME55-BS ME55/AF





ME59-CB

For junior






SN-205 DRY TOP SNORKLE

- Dry top system has combined the floatation device and the valve mechanism to make it work more smoothly when closing the valve at any swimming position and eliminate the possibility of locked air way.
- Colors: C, CB, NY, BS



SN-206 DRY TOP SNORKEL


- Dry top system has combined the floatation device and the valve mechanism to make it work more smoothly.
- Colors: BK, BS, BS-R, NY





SN-204 DRY SNORKEL

- High grade silicone centerpiece and mouthpiece
- Swivel and QD snorkel holder
- Ergonomic design to the mouthpiece for easier bite





SN-104 SNORKEL WITH SPLASH GUARD & DRAIN VALVE

- Silicone mouthpiece and purge valve for easy water clearance
- Splash guard top to channel the incoming water away efficiently
- 360 degree swivel mouthpiece
- The main tube is made from the environmental friendly **PU material**





SNK-16

Double bend silicone snorkel with splash guard and clearance purge.


















FP-01

SUMI

By utilizing various materials' stiffness and innovative structural arrangements, SUMi was designed to produce propulsion efficiency. The end result is a pair of fins which is not only easy to kick with, but excellent momentum is created to in the process to quickly propel the diver forward.

The fin's foot pocket fitting is the result of our extended research and manufacturing experience. This is an often neglected criterion when divers choose their fins. We are confident that SUMi will be one of the most comfortable fins that people put on.

COLOR	SIZES
B, BK, NY	XS-XL
W/P	XS-S

SIZES	XS	S	М	L	XL
US	5-7	7-8	8-9	10-11	12-13
EURO	36-38	38-39	40-42	43-45	46-48



FP-02



IST Safari Ultra-Light fin brings the most comfort and convenience yet performs powerful thrust output.

One-piece design, made from a special compounded formula TPR material eliminates every possible break point caused by connecting two different materials

A softer stiffness is made for the size of XS/S of the fin for an easier access for female and youth divers Only 1.9kg (4.2lb) for size L/XL, your best choice for traveling ever.

F-1 RUBBER FINS

- Traditional rubber fin with proven design
- IST stainless steel spring fin strap compatible

SIZES	М	L	XL	XXL	3XL
US	5	6-7	8-9	10-11	12-13
EURO	36	37-39	40-42	43-45	46-48



F-4 PROPULSION

- The fin is useful in open water but also capable of handling dive missions in confined spaces.
- Durable and long lasting.
- IST stainless steel spring fin strap compatible

SIZES	М	L	XL
US	5-6	7-9	10-12
EURO	36-38	39-42	43-46



FK-22 BORA BORA

- Rubber grip under the foot pocket is designed to prevent any slippage.
- Underside foot pocket drain hole makes every kick light and easier.
- Quick release buckles makes putting on and pulling off easier and faster.

SIZES	S/M	L/XL	XL/XXL
US	6-8	9-10	11-12
EURO	36-41	42-44	45-47



FK-30 SPEEDY

- Open heel snorkeling fins.
- Comfortable foot pocket.
- Recommended to be worn with boots or neoprene
- The blades are vented to guide water more efficiently.

SIZES	S/M	L/XL
US	4.5-8.5	10-13
EURO	37-41	44-48







FK-31 OTTER

- Broad sizes range design.
- Open toe box for quick drainage.
- Short, light, achieving efficient propulsion.

SIZES	S	М	L
US	4-7	7-10	10-13
EURO	35-40	40-44	44-48









- Balanced blade and comfortable foot pocket
- Broad sizes range.

SIZES	XXS	XS	S	М	L	XL	XXL
US	1-3	3-5	5-7	7-9	9-11	11-13	13-15
EURO	34-36	36-38	38-40	40-42	42-44	44-46	46-48



W

NY




F-36 *VELOX*

• Balanced blade and comfortable foot pocket

NYP

- Open toe box for quick drainage
- Sizes 3XS to M for Color of Pink & White

SIZES	3XS	xxs	XS	S	М	L	XL	
US	1-2	3-4	4-6	6-7	8-9	9-10	11-13	
EURO	33-34	35-36	37-38	39-40	41-42	43-44	45-47	
	11 371		11/	and the same of th		77		









CF-02/A 4 PIECES COMBO SET

M-75 + SN-60 + FK31 + CS8-L (mesh bag)

S, M, L

SIZES





CF-03/A 4 PIECES COMBO SET

MP-111 + SN-60 + FK31 + CS8-L (mesh bag)

S, M, L SIZES







CS8 CS8-L COMBO SET MESH BAG

20cm x 44cm (7.9" x 17.3") DIMENSION DIMENSION 32cm x 55cm (12.5" x 21.6")



MS-11

- Generic silicone mask strap.
- Good for IST masks M-9, M-11, M-12, M-30, M-50, M-55, M-59, M-71, M-80, M-100, MJ-111, MP-111, MP-211, M27/P
- Available in clear and black silicone.



MS-25

- Silicone mask strap.
- Specially designed for the following IST masks: M-45, M-75, M-88, M-200, MP-110, MP-201, MP-203, MP-210, MJ-112, MP-212
- Available in clear, black, green and white.



MS-14

- Mask strap for M-37 Pegasus mask.
- Available in black silicone and rubber.



MS-80

- Silicone mask strap
- Specially designed for the ProEar masks.
- Available in clear and black silicone.



MS-16

- 3mm Neoprene + Velcro mask strap for ProEar masks.
- Neoprene Length: 17cm (16.7")





MS-20

- Comfortable 2 mm neoprene mask strap cover.
- Length: 22cm (8.6")



















AF-2/DOZ ANTI-FOG SPRAY

- Non-toxic formula.
- Anti-fog protection for multiple dives.
- Long lasting.
- Anti-fog spray.
- Comes in 30ml(1oz) bottles.




MB2 PLASTIC MASK BOX



MB8 LARGER PLASTIC MASK BOX





P1

Complete purge valve and housing for SN-18.



P1-1

- Silicone exhaust valve with Ø2.2cm (Ø0.87").
- For the following snorkels: SN-18, SN-60.



P1-2

- Silicone exhaust valve with Ø1.9cm(Ø0.75").
- For snorkels: SN104, SN-204, SNK-8, SNK-16, SNK-205.
- Also for the following mask: M-11 & M-12.



SH-60

• Snorkel holder for SN-60.



SH-1/S

- Available in clear, black silicone
- Can be used with tube up to 2.9cm(1.14") in outside diameter.

COLOR





FS-2

• Rubber fin strap for F1 fin.



FS-7

• Rubber fin strap for FB-7.



FSK-31

• Fin strap for FK-30, FK-31, FK-09





Fin strap set for FP01, FP-02, F-4, FK22



FB-7

Quick release fin buckle for FP01, FP-02, F-4, FK22



FBK31-SET

Fin strap set for FK-30, FK-31, FK-09



FBK-31

Quick release fin buckle for FK-30, FK-31, FK-09



FB-1

Stainless steel fin buckle for F1 fin



FG-1

Rubber fin grips

SIZES S, M, L



FS-10

FS-11

FS-12







Coil Fin Strap

Comes in various buckle designs to suit different types of fins. Each style has 5 lengths for comfortable and secure fitting (approximate spring length):

FS-10 Spring fin strap with complete IST FB-7 buckles FS-11 Buckles FS-11 Spring fin strap with metal "C" clip for F-1 FS-12 Spring fin strap with stainless steel clip-on buckles

	S	М	L	XL	XXL
LENGTH (cm)	18.5	20.4	22	23.8	27.3
LENGTH (in)	7.3	8.0	8.7	9.4	10.7





IST NEOPRENE GEAR PFAS-Free/Safe/Durable

Dive Responsibly with IST Eco-friendly Neoprene

At IST, we understand the importance of protecting not only the underwater environments where we dive but also the broader world we live in. By rigorously testing and ensuring our neoprene materials are PFAS-free, we are leading the way in creating safer and more eco-friendly diving gear.

We are thrilled to announce that our neoprene materials have successfully passed PFAS (Per- and Polyfluoroalkyl Substances) testing. This is a significant achievement as it guarantees that our neoprene products are free from these harmful chemicals, which have been linked to a range of environmental and health concerns.

What does PFAS-Free mean for you?

PFAS are a group of man-made chemicals that are commonly used for their resistance to heat, water, and oil. However, they are also known for their long-term persistence in the environment, often referred to as "forever chemicals." They do not break down easily and can accumulate in living organisms over time, posing potential risks to human health and ecosystems.

Recognizing the importance of health and safety, IST has taken proactive steps to ensure that our wetsuits are free from PFAS. By doing so, we empower our customers to enjoy their time in the water with confidence and peace of mind.



IST's PFAS-Free Certification: A Step Towards Sustainability

At IST, we understand that water sports should be safe, enjoyable, and environmentally friendly. Our commitment to health and sustainability drives every aspect of our design and manufacturing processes.

Here's how we prioritize your well-being and the planet:



PFAS-Free Materials:

Our wetsuits are crafted using materials that have been rigorously tested to ensure they are free from PFAS. This commitment guarantees that you can dive, surf, or swim without the worry of harmful chemicals in your gear.



Sustainable Practices:

We are dedicated to minimizing our environmental impact. From sourcing eco-friendly materials to implementing energy-efficient manufacturing processes, we strive to create products that respect and protect the planet.



Durability and Longevity:

Our wetsuits are designed to withstand the rigors of SCUBA Diving and water sports, ensuring that they last for many adventures. By creating durable products, we help reduce the need for frequent replacements, conserving valuable resources.



Transparency and Education:

We believe in empowering our customers with knowledge. That's why we provide clear information about our materials and production processes, allowing you to make informed choices that align with your values.

Our PFAS-free neoprene products reflect our ongoing commitment to innovation, safety, and sustainability. Not only do our wetsuits offer the warmth, flexibility, and durability that divers have come to expect, but they also align with global efforts to reduce the impact of harmful chemicals on our planet.

When you gear up with IST, you are not only protecting yourself from the elements but also playing a role in protecting our oceans, wildlife, and communities from the potential dangers of chemical pollution. With IST, your dive becomes part of a larger movement towards a safer and cleaner world.






IST UNIQUE TECHNIQUE

PURIGUARD[®]




Experience the ultimate comfort and protection on your underwater adventures with our PURIGUARD Technic anti-bacterial faberic wetsuit for SCUBA diving. Crafted with innovative materials, our wetsuits not only provide superior insulation and flexibility but also incorporate zinc technology, actively combating bacteria to keep you feeling fresh and confident throughout your dives. Dive deeper, explore longer, and embrace the underwater world with the assurance of advanced protection and comfort.




ADVANTAGES

Anti-bacterial
Enviromental Friendly
Save Energy
Long Lasting Effect


HOW ZINC IONS WORK?








Zinc ions meet bacteria.



Zinc ions attach to bacteria due to electrostatic interactions.



The attached zinc ions disrupt the lipid bilayer of the bacterial cell membrane, causing structural damage and permeability changes.



This disrupts the ability of bacteria to reproduce and proliferate, ultimately leading to their death.



Advantages:

1. Antimicrobial Properties

2. Long-lasting Effectiveness

3. Safe and Environmentally Friendly

TEST BACTERIA: STAPHYLOCOCCUS AUREUS (ATCC No.6538)

TEST GROUP	CFU/mL	REDUCTION (R)
UNTREATED CONTROL AT "0" HR (C)	1.7 X 10³	000/
UNTREATED CONTROL AT "24" HR (B)	1.4 X 10³	99%
TREATED TEST AT "24" HR (A)	1.0 X 10²	

ANTIBACTERIAL

Mildew / Fungi Staphylococcus aureus Klebsiella pneumoniae Other Microbial Growth

Innovative technology integrating liquid zinc into the process of implanting masterbatch into original yarns is utilized to create fabrics that are sterile and odorless, enhancing the protective properties of both yarn and fabric, achieving a fabric type with zero pollution that also possesses antibacterial and environmental protection functions. The environmentally friendly fibers produced through this process require no dyeing in subsequent stages, making the manufacturing process environmentally friendly by significantly reducing the discharge of wastewater and carbon dioxide, shortening production time, and minimizing energy waste during production.

PG-WS815 (1.5MM) **PG-WS80** (3MM) **PG-WS805** (5MM) **PG-WS807** (7MM) **DIVING JUMPSUIT**

- IST signature jumpsuits, constructed of high-grade neoprene in 1.5mm, 3mm, 5mm and 7mm thickness options.
- Special printing technique on shoulders and chest areas offers extra durability in areas prone to high wear when diving with a BCD
- YKK #5 zips at wrists and ankles
- 1.5mm & 3mm suit Flat-lock Stitching / 5mm & 7mm suits: Double Blind Stitching
- 3mm&5mm&7mm suits: Super-stretch material at armpits and lower back area to maximize range of motion.
- 7mm suit: Semi-dry technology at wrists and ankles

CIZEC	MEN'S	S	М	L	XL	XXL
SIZES	WOMEN'S	5	7	9	11	13







IMPERIAL SIZE CHART

Women's	5	7	9	11	13
Weight(lb)	110-121	122-132	133-143	144-154	155-165
Height(in)	5'1"-5'3"	5'3"-5'5"	5'5"-5'7"	5'7"-5'9"	5'9"-5'11"
Chest(in)	33.5	34.5	35.5	38	39
Waist(in)	24	25	26	28	30
Hip(in)	35	37	39	41	43

Men's	s	М	L	XL	XXL
Weight(lb)	135-162	163-185	186-215	216-235	236-255
Height(in)	5'3"-5'5"	5'6"-5'7"	5'8"-5'11"	6'-6'1"	6'2"-6'3"
Chest(in)	26/37	38/39	40/43	43/45	46/47
Waist(in)	29-31	32-33	35-37	38-39	40-41
Hip(in)	35-37	38-39	40-43	44-45	46-47

PG-WS826 3MM CAMO JUMPSUIT FOR HUNTING IN WARM WATERS

- 3mm high-grade neoprene
- Flat-lock stitching constructions
- Tough Rotex material on elbow and knee pads for more protection.
- 5mm Chest gun-loading pad

S, M, L, XL, XXL SIZES





PG-WS35 DIVING SHORTY

- High-grade neoprene in 3mm with stylish black flat-lock stitching.
- Super-stretch material at armpits and lower back area to maximize range of motion.
- Special printing technique on shoulders and chest areas offers extra durability in areas prone to high wear when diving with a BCD.

SIZES	MEN'S	S	М	L	XL	XXL
	WOMEN'S	5	7	9	11	13





METRIC SIZE CHART

Women's	5	7	9	11	13
Weight(kg)	51-55	56-60	61-65	66-70	71-75
Height(cm)	155-160	161-165	166-170	171-175	176-180
Chest(cm)	85	88	91	96	100
Waist(cm)	61	64	66	71	76
Hip(cm)	89	94	99	105	110

Men's	S	М	L	XL	XXL
Weight(kg)	61-73	74-86	87-97	98-106	107-115
Height(cm)	160-165	166-170	171-180	181-185	186-190
Chest(cm)	91-95	96-101	102-109	110-114	115-119
Waist(cm)	73-78	79-83	84-93	94-99	100-105
Hip(cm)	89-94	95-100	101-109	110-114	115-120

PG-SHN01 WATERSPORTS TOP

- 1.5 mm neoprene top, a great choice for any kind of watersports.
- Flat-lock stitching.
- Size Chart please go to page 60 and 61

S, M, L, XL, XXL SIZES





PG-WJ0125 WIND-BREAKER JACKET

- 2.5mm neoprene jacket keeps the body warm in between or after dives.
- Taped edges stop the fabric from fraying.
- Flat-lock stitching.
- Size Chart please go to page 60 and 61

SIZES XS, S, M, L, XL, XXL





PG-WP5 **WATERSPORT PANTS**

- 2mm neoprene watersport pants
- Helpful ankle zips help with donning and
- Protective printed knee pads.
- Drawstring fastener.
- Size Chart please go to page 60 and 61

SIZES

S, M, L, XL, XXL





WATERSPORT PANTS

- 3mm Nylon / Rotex neoprene multi-purpose pants.
- Ankle zips for easy donning and doffing.
- 2 large side 1680D Nylon pockets with D-rings for easy access and storage.
- Rotex fabric designed on hips for great durability for watersports activities.
- Protective Add-on Knee pads.
- Adjustable waist webbing w/ large D-ring and buckle.
- Front fly zipper using YKK#10
- Size Chart please go to page 60 and 61

SIZES

S, M, L, XL, XXL





PG-VSHS0225 HOODED VEST

- 2.5mm Neoprene Hooded Vest
- Front YKK#5 Zip
- Superstretch fabric on Hood and torso sides
- Smooth skin face seal restricts water movement
- Size Chart please go to page 60 and 61

SIZES XS, S, M, L, XL, XXL





PG-HD6 PROEAR HOOD

- Made from PURiGUARD anitibacterial fabric.
- Specially designed Pro Ear mask hood.
- Two layers of soft neoprene, 5mm in total.
- Special stretchable front panels allow for easy
- Smooth skin face seal restricts water movement.

S, M, L, XL. XXL SIZES



PG-HDN0130 (3MM) **PG-HDN0150** (5MM) HOOD

- Made from PURiGUARD anitibacterial fabric.
- Blind stitch and tripled glued hood.
- Smooth skin face seal restricts water movement.
- The bib can be tucked under wetsuit collar to maintain warmth.
- Double-layerd top panel with vent.

S, M, L, XL. XXL







WSR50 3MM DIVING REVERSIBLE JUMPSUIT

- Optimized for use as rental gear.
- Reversible design with large size marks on both sides to simplify finding and sorting sizes in the dive shop.
- 3mm high-grade neoprene with **DOUBLE BLIND** STITCHING.
- Super-stretch fabric at armpits for greater movements.
- YKK #5 zippers at ankles for easier donning and doffing.
- Size Chart please go to page 60 and 61
- REVERSIBLE

CIZEC	MEN'S	S	М	L	XL	XXL
SIZES	WOMEN'S	5	7	9	11	13





HD9 BEANIE STYLE HOOD

- Comfortable 3mm super-stretch neoprene hood with taped edges.
- Protects the head from getting sun burnt during the time being at the surface or for other watersport activities.
- Provides divers with basic warmth retention and prevents hair entanglement with the mask strap.
- Chin strap with velcro closure.

S/M, M/L, L/XL



DH-2 DIVER'S HOLSTER

- Made from 3mm neoprene.
- Gives extra storage space to carry additional
- Additional D-rings served as the extra attachment points.
- Adjustable Velcro closure.
- No. 10 rust-proof YKK zips.

SIZES

S/M, L/XL, XXL



PG-WSK03 3MM KID'S SHORTY

- IST's stylish shorty for kids to wear for any warm water sports activity
- Super-Stretch material at armpits to maximize range of motion and prevent binding
- Flat-lock stitching constructions

SIZES XXS, XS, S, M, L, XL





PG-WSK80 3MM KID'S JUMPSUIT

- IST's full-length jumpsuits to keep kids warm and protected during temperate to cool water sports
- Super-Stretch material at armpits to maximize range of motion and prevent binding
- Zippers at wrists and ankles for easier donning and doffing
- Flat-lock stitching constructions
- Add on protective knee pad

SIZES XXS, XS, S, M, L, XL







KIDS SIZE CHART

SIZES	XXS	XS	S	М	L	XL
Height	3'3"/ 99cm	3'6"/ 109cm	3'11 "/ 119cm	4'3"/ 129cm	4'7"/139 cm	5'/152 cm
Chest	1'11" / 59cm	2'2" / 64cm	2'4" / 70.5cm	2'5" / 74.5cm	2'6" / 78.5cm	2'7"/82 cm
Waist	1'4" / 42cm	1'6" / 48cm	1'8" / 53cm	1'10" / 56cm	1'11" / 59cm	2'/62 cm



IST UNIQUE TECHNIQUE icool iCOOL

iCool is a newly developed functional fiber that utilizes the latest natural materials, incorporating natural energy minerals sourced from the Earth's energy field. Through a process involving liquid metal and polymers infused into the masterbatch, high-quality natural mineral elements, such as zinc, are embedded into the fiber. Adhering to the law of conservation of matter, the added zinc composite material remains persistent within the fabric, ensuring its antimicrobial efficacy is permanent and unaffected by washing.






99%




UPF 50+

Ordinary polyester fibers typically have a moisture content of 0.4%, but through our innovation, we've successfully elevated it to 1.9%, marking a substantial increase of 450 times. This significant augmentation in moisture content translates to a remarkable improvement in wearer comfort. As water inherently retains a lower temperature compared to the body, the heightened moisture content contributes to a cooler and more refreshing sensation when wearing iCOOL fabric. Moreover, iCOOL fabric's enhanced moisture retention doesn't just stop at providing comfort; it also boasts additional benefits. Because the temperature of water is lower than that of the body, increasing the moisture content will result in a cooler and more comfortable sensation.



It denotes the fabric's ability to efficiently transfer heat away from the body, typically measured in watts per square meter. Fabrics with a high Q-MAX excel at wicking moisture away from the skin and promoting rapid evaporation, which contributes to a cooling effect. This property is particularly valuable in sportswear and activewear designed for hot or humid conditions, as it enhances wearer comfort and performance by preventing overheating and moisture buildup. By facilitating effective heat transfer, fabrics with a high Q-MAX help maintain a comfortable body temperature, keeping the wearer cool and dry even during intense physical activities. In essence, Q-MAX represents a crucial aspect of fabric performance, ensuring that clothing not only feels comfortable but also supports optimal thermoregulation for enhanced comfort and performance.









ANTI-BACTERIAL X COOLER

Engineered with advanced cooling and anti-bacterial properties, IST iCool technic enhances your water sports experience by keeping you cool, dry, and fresh even in the most intense conditions. Crafted from premium materials, iCool Fabric offers superior breathability and moisture-wicking capabilities, ensuring you stay comfortable and focused on your performance. Its PURiGUARD anti-bacterial function provides added protection, keeping you free from odor-causing bacteria, even after hours in the water.

Whether you're surfing, paddleboarding, or kayaking, iCool Fabric is designed to withstand the rigors of water sports while delivering unparalleled comfort and performance. Say goodbye to discomfort and hello to peak performance with IST iCool technic - the perfect choice for water sports enthusiasts looking to elevate their game.

TEST BACTERIA: STAPHYLOG	TEST BACTERIA: STAPHYLOCOCCUS AUREUS (ATCC No.6538)					
TEST GROUP	CFU/mL	REDUCTION (R)				
UNTREATED CONTROL AT "0" HR (C)	1.7 X 10³					
UNTREATED CONTROL AT "24" HR (B)	1.4 X 10³	99%				
TREATED TEST AT "24" HR (A)	1.0 X 10 ²					

ANTIBACTERIAL

Mildew / Fungi Staphylococcus aureus Klebsiella pneumoniae Other Microbial Growth

PG-DS66 iCOOL RASH GUARD Protection



iCool technology is also applied on the material which provides not only UV protection but a better experience for all kinds of activities.

- Excellent for any ourdoor and water sports activities
- Easy care
- UV Protect 50+
- iCool technology provides the perceived temperature 1~3°C lower than environment
- Design for female
- Comfortable T-shirt style

SIZES

XS, S, M, L, XL









PG-DS46 ICOOL RASH GUARD WPTGLETTON



iCool technology is also applied on the material which provides not only UV protection but a better experience for all kinds of activities.

- Excellent for any ourdoor and water sports activities
- Easy care
- UV Protect 50+
- iCool technology provides the perceived temperature 1~3°C lower than environment.

XXS, XS, S, M, L, XL, XXL







PG-HOOD4 ICOOL HOODS Opposed to 1500


Features include:

- Ultra comfortable tropical hood with collar
- Made from PURiGUARD/ iCool fabric
- Made from high quality spandex
- Flat-lock stitching
- UV protection applied





SIZES	XS	S	М	L	
Α	21cm	22cm 23cm		24cm	
	8.2"	8.6"	9"	9.4"	
В	36cm	37cm	38cm	39cm	
	1'2.1"	1'2.5"	1'2.9"	1'3.3"	





Rash guard size chart

PG-DS46	Metric Si	ze Chart	Imperial Size Chart		
Size	Height (cm) Chest (cm)		Height (inch)	Chest (inch)	
XXS	146-150	80-86	4'9"-4'11"	31.5-34	
XS	151-160	84-90	4'11"-5'3"	33-35	
S	160-165	88-94	5'3"-5'5"	34.5-37	
М	166-170	92-98	5'5"-5'7"	36-38.5	
L	171-180	96-102	5'8"-5'11"	38-40	
XL	181-185	100-106	5'12"-6'1"	39-41.5	
XXL	186-190	104-110	6'2"-6'3"	41-43	


PG-DS66	Metric Si	ize Chart	Imperial Size Chart		
Size	Height (cm)	Height (cm) Chest (cm)		Chest (inch)	
xs	150-155	70-76	4'11"-5'1"	27.5-30	
S	156-160	74-80	5'1"-5'3"	29-31.5	
М	161-165	78-84	5'3"-5'5"	30.5-33	
L	160-170	83-89	5'5"-5'7"	32.5-35	
XL	171-175	87-93	5'7"-5'9"	34-36.5	

GL-05 REEF GLOVES (5MM) NEW

- Extremely form fitting and comfortable
- Stylish Silicone anti-slip dots palm ensures a hold on to your valuable equipment.
- No straps to adjust
- Add on Silicone anti-slip texture on wrist

SIZES XS, S, M, L, XL, XXL







GL-04 REEF GLOVES (2MM)

- Amara palm constructions
- Thumb and forefinger area of the gloves at right hand can be opened for photo shooting purpose

SIZES XS, S, M, L, XL, XXL









S-900 TROPICAL GLOVES (2MM)

- 2mm gloves with AMARA palm.
- Extra reinforcements on finger tips and palm.
- Soft neoprene for increased finger dexterity.

SIZES XS, S, M, L, XL, XXL



S-326 (2.5MM)

- Stylish super-stretch neoprene gloves
- Extremely form fitting and comfortable
- Super-stretch Gloves

SIZES XS/S, M/L, XL/XXL



S-680 (5MM) SEMI-DRY KEVLAR GLOVES S-780 (3MM) KEVLAR GLOVES

• 5mm semi-dry Kevlar-reinforced fabric lined

• Double smooth skin semi-dry cuff restricts water movement

Velcro closure

SIZES XS, S, M, L, XL, XXL

- 3mm Kevlar-reinforced fabric lined gloves
- Velcro closure

SIZES XS, S, M, L, XL, XXL



SKB BEACH SOCKS

- Super-stretch Spandex upper with stretchy ankle rim.
- Tough neoprene sole with anti-slip traction dots protects feet from uneven and slippery surfaces.
- Shield feet from sunburn, biting insects, hot or cold surfaces, and friction burns or blisters when worn inside sandals or fins.

SIZE	XS	S	М	L	XL	XXL
СМ	24	25	26	27	29	29
INCH	9.5	9.8	10.2	10.6	11	11.4



Anti-slip sole







SK-2

- 3mm Neoprene socks with anti-skid dots on soles.
- Double glued & blind stitched.

SIZE	S	М	L	XL	XXL
СМ	24	25	27	28	30
INCH	9.5	9.8	10.6	11	11.8



SK-3

- 3mm Neoprene socks with anti-skid dots on soles.
- Double glued & blind stitched.


SIZE	S	М	L	XL	XXL
СМ	24	25	27	28	30
INCH	9.5	9.8	10.6	11	11.8



SK-9

- 3mm ultra high-grade neoprene lined with **smooth skin outside**.
- Design to be worn with freediving fins to make you to fit the foot pocket more to reduce unnecessary effort to be put in kicking.
- Blind-stitching technology sealed with rubber glue to block the water outside.
- Boat socks design to make your legs look longer with elegance lines.
- Anti-slip dots at soles.


SIZES	XS	S	М	L	XL
US	4-6	6-8	8-10	10-12	13
EURO	34-38	38-41	41-44	44-47	48
СМ	22-24	24-26	26-28	28-30	31
INCH	87-95	95-102	10.2-11	11-11.8	12







Open cell (Prevent the sock from falling off)



Dive with ease grip the seas

HYDRO GRIP SOLE



Advanced Traction Technology

Our boots feature a proprietary rubber compound and tread design that maximizes grip on wet and slippery surfaces. This advanced technology minimizes slip risks, allowing you to maneuver confidently on boats, docks, and rocky shorelines.

Durability You Can Trust

Crafted from high-quality, marine-grade rubber, these boots are not only durable but also resistant to saltwater and UV exposure. This ensures long-lasting performance, keeping your boots in top shape for every dive.

Reinforced Toe and Heel

The reinforced areas provide additional protection against impacts and abrasions, ensuring your feet are safeguarded during every adventure. Dive with confidence knowing your gear is built to handle the elements.

Dive Into Comfort with Our Hydro Grip Diving Boots!

Don't let slippery surfaces hold you back. Equip yourself with IST Hydro Grip Diving Boots and experience the difference. Gear up for your next underwater adventure today!

Why Choose Our Hydro Grip Diving Boots?

With our boots, you're not just investing in footwear—you're investing in your safety and enjoyment underwater. The combination of advanced materials and innovative design creates a product that enhances your diving experience, keeping you stable and secure in any condition.

S-38/A ANTI-SLIP LOW CUT BOOT



- IST special technique Hydro Grip Sole + **Vulcanized Sole**
- Versatile 3mm tropical boots.
- Glued and blind stitched seam to minimize water flow.



SIZES #4 - #13





S-19/A ANTI-SLIP BOOT

- IST special technique Hydro Grip Sole + Vulcanized Sole.
- 5mm Nylon II boots.
- Vulcanized rubber sole with additional heel cap for protection and durability.
- Built-in fin strap keeper.
- No.10 ultra durable YKK zipper.



SIZES





BT0430 LOW CUT BOOT

- · Optimized for use as rental gear.
- Large size marks on uppers to simplify finding and sorting sizes in the dive shop.
- 3mm neoprene sandwiched between high quality, stretchy nylon fabric.
- Flat-lock stitched upper seams to prevent skin irritation.
- Tough, vulcanized rubber sole.
- Toecap and heel cap for greater protection and durability.
- Elastic fabric at ankles for easier donning and doffing.



#4 - #13



Shoes and Boots Size Chart

SIZES	3XS	XXS	XS	S	М	M/L	L	XL	XXL	3XL
US	4	5	6	7	8	9	10	11	12	13
Euro	34/35	36	37/38	39	40/41	42	43/44	45	46/47	48
cm	22	23	24	25	26	27	28	29	30	31

\$65 5MM SNEAKER SOLE

TITANINM

- 5mm Titanium NYLON II boots with sneaker sole.
- Double-guled and blind-stitched construction.
- Heel and Toe caps for durability and extra protection.
- No. 10 Ultra durable YKK zip.
- Built-in fin strap keeper.
- Vertical / Horizontal lines and cuts for more flexible movements.
- The Yellow lines mark off in the middle, its drainage groove keeps as less water as possible
- Drain lines extend to all over round.

SIZES

#4 - #13













\$7 (5MM) TITANIUM BOOTS **\$7/6.5** (6.5MM) TITANIUM BOOTS



• Titanium and spandex lined boots.

- All boots double-glued and blind-stitched.
- Excellent for cold water diving.
- Vulcanized rubber sole.
- Toe and heel caps for additional support and protection.
- Built-in fin strap keeper.
- No.10 ultra durable YKK zip.
- Size chart please go to page 73.

SIZES

#4 - #13







\$7/6.5

B-220 FELT SOLE LOW CUT BOOT B-220/B SPECIAL EDITION FOR RENTAL MARKET

- Low cut boots with 12mm(0.4") thick felt sole.
- 3mm neoprene with **ROTEX upper**.
- Great for walking on slippery coastal reefs
- Glued and blind stitched seam to minimize water flow.
- Size chart please go to page 75

#4 - #13

Large size mark for

rental market





B-220/B

B-330/C FELT SOLE BOOT B-320/B SPECIAL EDITION FOR RENTAL MARKET ፟

- Low cut boots with 12mm(0.4") thick felt sole.
- 3mm neoprene with **ROTEX upper**.
- Great for walking on slippery coastal reefs Glued and blind stitched seam to minimize water flow.
- Size chart please go to page 75

SIZES

SIZES

#4 - #13







B-320/B

B-330/C



SS-01 ANTI-JELLYFISH SUNSCREEN

IST research and develop the Mineral Sunscreen Lotion contains no artificial chemical ingredient. Contains Reef friendly formula without Octinoxate & Oxybenzone. The Anti-Jellyfish protection suits for all kinds of water sports activities.

The Anti-Jellyfish protection suits for all kinds of water sports activities.

- Mineral Sunscreen lotion in SPF50
- Anti-Jellyfish formula
- Reef Friedly with natural ingredient
- Extracting from Laminaria Ochroleuca, Tocopheryl acetate, squalane and several elements brings moisturize and protection of skin.
- Fragrance Free for all skin types, provides protection from head to toe.
- Pass FDA and SGS test.







BEP-01 BEACH PONCHO

- Unisex towel robe, perfect for water sports
- Microfiber for highly absorbent water and quick dry
- Two large pockets to store your swimsuit or
- Large size hoodie provides a spacious environment to easily move around.
- Lightweight and easy to carry
- One size fits all
- Total Length: 140.5cm (55.3")









DS-21 DIVE SKIN

- Spandex dive skin.
- Excellent protection from the sun and marine creatures.
- Very stretchy, comfortable and easy to put on take off.
- Tall neck for extra sun protection.
- Stir-up heel and thumb loops to stop the dive skin from riding up.
- Uni-sex Design

SIZES

S, M, L, XL, XXL







CV-01 2-IN-1 WIND COAT

- Lightweight wind breaker coat with attachable 2mm neoprene vest
- Excellent for in-between dives on boat
- Vest: 2mm ultra high-grade neoprene with front zip
- Vest: Super-Stretch material at waist
- Coat: made from super lightweight water repellent fabric which can be worn individually or with vest attached

SIZES XS, S, M, L, XL, XXL



BE-206 SHORT SLEEVE RASH GUARD

- UV protection Rash Guard in short sleeve
- Cool Max fabric bring comfortable wearing
- Flat-lock stitching to prevent chafing
- Unisex design, big range sizes available

SIZES XS, S, M, L, XL, XXL



BE-207 LONG SLEEVE RASH GUARD

- UV protection Rash Guard in Long sleeve
- Cool Max fabric bring comfortable wearing
- Flat-lock stitching to prevent chafing
- Unisex design, big range sizes available

SIZES XS, S, M, L, XL, XXL



BE-203 T-SHIRT

Made with cotton.

SIZES XS, S, M, L, XL, XXL



CAP-16 IST SUN HAT

- Multi function Outdoor Sun Hat.
- Breathable fabric with wide brim.
- Quick dry and Waterproof materials for diving without hassle.







CAP-7 BASEBALL CAP

One size fits all adult cap with embroidered logo at the front and international and European dive flag at the back.



CAP-9 FISHING CAP

CAMO

Adult cap with removable sun blocking screen at the back.



G-39 SWIMMING GOGGLE

- Wrap round water sport goggle
- Comfortable silicone skirt provides watertight seal







G-40 OPTICAL SWIMMING GOGGLE

- The G40 RX Goggle With UV Protection.
- We answered the need early-on for supplying high-quality prescription lens swimming goggle, including providing customers with the easy-to use, exclusive and innovative Prescription Lenses Calculator.


Features

- The lenses are made of strong impact resistant polycarbonate resin. In addition, the lenses block out harmful ultraviolet rays.
- The long lasting anti-fog system prevents fogging under all conditions.
- Available diopter from
- -1.0 to -6.0 (by 0.5)
- -7.0 to -10.0 (by 1.0)
- +1.0 to +8.0 (by 1.0)
- Left / Right lenses are interchangeable.









LJ-500 ADULT SNORKELING VEST

- 210D Nylon with TPU coating
- Easy Oral inflation
- **SOLAS** reflective tape
- Crotch strap with buckle

SIZES	LJ500-M					
Weight	50-80kg/110-176lb					
Height	150-175cm/ 4'11"~5'9"					
Buoyancy	@84.5N (8.6kgf/19lbf)					
SIZES	L J500-L					

SIZES	LJ500-L
Weight	80-130kg/176-286lb
Height	175-190cm/ 5'9"~6'3"
Buoyancy	@102N (10.4kgf/ 23lbf)





LJ-600 KID'S SNORKELING VEST

- 210D Nylon with TPU coating
- Easy Oral inflation
- **SOLAS** reflective tape
- Crotch strap with buckle

SIZES	LJ600			
Weight	20-50kg/ 44-110lb			
Height	120-150cm/ 3'11"~4'11"			
Buoyancy	@53.4N (5.44kgf/ 12lbf)			







MJ-112 NYMPH

- Single lens mask with tempered glass for kids
- Silicone mask and skirt for ultra comfortable
- Fits wide range of facial profile







MJ-111 UNO

- Single lens mask with tempered glass for kids
- Hypoallergenic silicone mask skirt and strap for ultra comfortable
- Fits wide range of facial profile







M-59 TWINGO

- Comfortable twin lens JR. mask with a skirt that is able to accept a great range of facial profiles.
- Hypoallergenic mask skirt and strap.
- Swivel buckles add to comfort while wearing.











M-71 LYRA

- Single lens JR. mask with tempered glass, silicone skirt
- Swivel buckles that changes angle to accommodate various facial profiles.









SNK-205

- Dry snorkel for **kids** with silicone tube and mouthpiece
- Equipped with purge valve to channel water out of the snorkel
- Smooth air passage and easy breathing



SN-18

- Perennial best selling JR. snorkel.
- Hypoallergenic liquid silicone mouthpiece.
- Easy to adjust snorkel holder.
- Purge valve for easy water clearance.



SNK-8

- Junior snorkel with splash guard and purge
- Small hypoallergenic silicone mouthpiece for children



FK-09 SWIFT

• Stylish kids' open heel fins.

SIZES	L/XL
US	3-5
EURO	34-38











F-36 VELOX

- Balanced blade and comfortable foot pocket
- Open toe box for quick drainage

SIZES	3XS	XXS
US	1-2	3-4
EURO	33-34	35-36



PG-WSK03 3MM KID'S SHORTY

- Made from PURiGUARD antibacterial fabric.
- IST's stylish shorty for kids to wear for any warm water sports activity.
- Super-Stretch material at armpits to maximize range of motion and prevent binding.
- Flat-lock stitching constructions.
- Size chart please go to page 65.

SIZES XXS, XS, S, M, L, XL





PG-WSK80 3MM KID'S JUMPSUIT

- Made from PURiGUARD antibacterial fabric.
- IST's full-length jumpsuits to keep kids warm and protected during temperate to cool water sports
- Super-Stretch material at armpits to maximize range of motion and prevent binding.
- Zippers at wrists and ankles for easier donning and doffing.
- Flat-lock stitching constructions.
- Size chart please go to page 65.

SIZES XXS, XS, S, M, L, XL





S-38J/A 3MM KID'S BOOTS

- Versatile 3mm kid's tropical booties.
- Vulcanized sole for better grip in wet conditions.

SIZES	1	2	3
EURO	30	31/32	33
СМ	18.5	19.2	21







SK-3J 3MM KID'S SOCKS

- 3mm short-cut neoprene socks
- Blind stitching constructions

SIZES	S	М	L	XL
LENGTH	20cm	21cm	22cm	23cm
INCH	7.9"	8.3"	8.7"	9"



BEK-01 RASH GUARD FOR KID'S

- UV protection Rash Guard in Long sleeve
- Cool Max fabric bring comfortable wearing
- Flat-lock stitching to prevent chafing

SIZES 2, 4, 6, 8, 10



BEK-02 RASH GUARD FOR KID'S

- UV protection Rash Guard in Long sleeve
- Cool Max fabric bring comfortable wearing
- Flat-lock stitching to prevent chafing

SIZES 2, 4, 6, 8, 10



Size	Height (cm)	Chest (cm)	Height (in)	Chest (in)
2	105 - 115	60 - 66	3'5" - 3'9"	23.5 - 26
4	115 - 125	64 - 70	3'9" - 4'1"	25 - 27.5
6	125 - 135	70 - 76	4'1" - 4'5"	27.5 - 30
8	135 - 145	74 - 80	4'5" - 4'9"	30 - 31.5
10	145 - 155	80 - 86	4'9" - 5'1"	31.5 - 34

SK-4J KID'S SHORT-CUT SOCKS

- 3mm Neoprene socks with anti-skid dots on soles
- Blind stitching constructions
- Colors: NB. O

METRIC SIZE CHART (cm)						
Size 4XS 3XS XXS XS S						
Α	18	19.7	21	22	23.2	
В	8.2	8.7	9.2	9.5	9.7	
IMPERIAL SIZE CHART (inch)						
Size	4XS	3XS	XXS	XS	S	
Α	7.1	7.8	8.3	8.7	9.1	
В	3.2	3.1	3.3	3.4	3.6	





CS-59188/A KID'S TWO PIECE COMBO SET

M-59 + SN-18 + CS8 (mesh bag)



CFJ-02/A KID'S THREE PIECE COMBO SET

MJ111 + SNK-205 + FK09 + CS8-L (mesh bag)

SIZES	L/XL
US	3-5
EURO	34-38











M50 + SNK-8 + FKO0 + CS8-1 (mesh had)

M59 + S	5NK-8 + FKU9 +	CS8-L (mesn bag)			
SIZES	L/XL		0		
US	3-5				
EURO	34-38			IST *	
	W/PB	CBK	CB		IST make

CS8 MESH BAG CS8-L

• 2-piece/ 4-piece combo set nylon mesh bag with straps.

DIMENSION	20cm x 44cm (7.9" x 17.3")
DIMENSION	32cm x 55cm (12.5" x 21.6")



MP210/AF-BSM SONIC

- Yellow anti-fog film with mirror reflection
- IST newest technology: Lens with anti-fog + mirro reflection film
- Enhance better visual experience while diving deep in the ocean
- Resuable + Easy to clean + Long lasting anti-fog feature
- Great for SCUBA diver and Spearfishing









MP-210 *SONIC* MP-210/AF Anti-Fog Lens

- Extreme Low volume Frameless mask
- Made from hypoallergenic liquid silicone
- Prefect design for SCUBA and Free diving
- Colors: BS, W, C
- Anti-fog lens available.

















M-88 BLUETECH M-88/AF Anti-Fog Lens

• The bendable buckles are attached to the stretchy hypoallergenic silicone skirt so they will not interfere with fitting and this feature enables the mask to be packed into tight luggage space while preparing for a trip.

• Anti-fog lens available.











MP203/AF-BSM HUNTER

HUNTER

- Yellow anti-fog film with mirror reflection
- IST newest technology: Lens with anti-fog + mirro reflection film
- Enhance better visual experience while diving deep in
- Resuable + Easy to clean + Long lasting anti-fog feature
- Great for SCUBA diver and Spearfishing









MP-203 HUNTER MP-203/AF Anti-rog Lens

HUNTER

- Extremely low volume design.
- Swivel and easy-adjust buckles.
- Ideal for hunters and photographers.
- The highest grade silicone available for a soft comfortable seal.
- Perfect as a spearfishing, free diving or back-up mask as it folds and fits easily in your BCD pocket.
- Tempered glass for safety and durability.
- Non-polish finished mask skirt prevents from reflecting
- of sunlight.
- Anti-fog lens available.



















M14-BSM VEGA MASK WITH TINTED LENS

• Perfect for spear-fishing









MP-201 PROTEUS MP-201/AF Anti-Figure

- Super low volume design makes this mask become the best choice for free diving
- Anti-fog lens available.









MP-201 BSM-BK

• Enhance underwater colors







SN-7

• Silicone mouthpiece



SN-36 FREEDIVING SILICONE SNORKEL

• Simple silicone snorkel which can be bent and stored in BCD pocket when not in use.



SN-301

• Silicone mouthpiece







FRA-01/F FRA-01 APNEA DIVING FINS

FATHOM BLUE

FRA-01 Apnea Diving Fins

Fathom Blue is a purpose-built apnea diving fin (free diving / spear fishing). The comfortable foot pocket and powerful blade provide efficient thrust and unparalleled underwater maneuverability.

Although more expensive, rubber is our chosen material to make Fathom Blue's foot pocket. We were able to strategically build a rubber foot pocket with multiple flexibility while fins made from various plastic compounds do not share the same advantage. This means Fathom Blue's foot pocket is able to produce a spring-like effect when finning, yet its base (sole) is rigid and efficient.

Specification

- Blade Dimension(H x W) 22cm x 60cm (8.7" x 23.6")
- Over Length(Size: L/XL) 92cm(36")



Size Chart	Fin Sizes		XXS/XS	XS	S/M	M/L	L/XL
Davefast	ι	JS	4-5	6-7	8-9	10-11	12-13
Barefoot	EU	IRO	36-38	38-40	41-42	43-44	45-46
	0	US		5	7	9	11
	3mm	EURO		38	40	42	44
Worn with	Enema	US		4	6	8	10
socks	5mm	EURO		37	39	41	43
	7	US			5	7	9
	7mm	EURO			38	40	
Weight			1.9kg (4.2lb)	2kg (4.4lb)	2.1kg (4.6lb)	2.2kg (4.9lb)	2.3kg (5lb)



PG-WS826

3MM CAMO JUMPSUIT FOR HUNTING IN WARM WATERS

- 3mm high-grade neoprene
- Flat-lock stitching constructions
- Tough Rotex material on elbow and knee pads for more protection
- 5mm Chest gun-loading pad
- Size chart please go to page 60 & 61.

SIZES

S, M, L, XL, XXL





PG-VSH100-10 CAMOUFLAGE HOODED SUITS

- Spandex material with high grade neoprene at front torso
- Flat-lock stitching.
- Foamed chest pad for spear gun loading.
- Designed to be worn over a wetsuit or
- Size chart please go to page 60 & 61.

S, M, L, XL, XXL SIZES









VSA-0240 APNEA WEIGHT VEST

- 4mm high-grade neoprene vest with 8 weight pockets and each pocket takes up to 2KG (4.4lb) weight.
- 1.5" webbings at both shoulders and waist for easy adjustment.

SIZES



CAP-16 IST SUN HAT

- Multi function Outdoor Sun Hat.
- Breathable fabric with wide brim.
- Quick dry and Waterproof materials for diving without hassle.









S-926 (2MM)

- 2mm camouflage spear fishing glove with AMARA palm
- Extra reinforcements on finger tips and palm
- Soft neoprene for increased finger dexterity

XS, S, M, L, XL, XXL



S-326 (2.5MM)

- Stylish **super-stretch** neoprene gloves.
- Extremely form fitting and comfortable.
- Anti-slip dots on palm and fingers for better underwater grip.
- Available in 3 sizes.

XS/S, M/L, XL/XXL



- 3mm ultra high-grade neoprene lined with **smooth** skin outside.
- Design to be worn with freediving fins to make you to fit the foot pocket more to reduce unnecessary effort to bee put in kicking.
- Blind-stitching technology sealed with rubber glue to block the water outside.
- Boat socks design to make your legs look longer with elegance lines.
- Anti-slip dots at soles.
- Size chart please go to page 75



FD-BUOY/E FREEDIVING BUOY

- 15" inner diameter freediving buoy made from heavy duty 600D PU coated polyester fabric for outer shell; ultra high-grade rubber for inner tire.
- A flag seat located on top of the buoy for dive flag if needed.
- 6 handles located around the buoy allows several divers to use at the same time; 2 extra handles on top.
- 2 stainless steel D-ring at sides of the buoy for connecting with other buoys if necessary.
- 2 YKK #10 zips at front cover for easy operation and also prevent stuffs from falling out.
- Double mesh bag inside for storage personal item.
- 4 stainless steel grommets at bottom to drain water.
- 2 stainless steel D-ring are fixed at bottom with extra durable 2" polyester webbing for divers to connect weight and rope; max. dry weight loading 300KG (660lbs).
- Comes with a tire inflation adapter can be connected to a BC hose.





Double mesh bag for storage personal item



2 shoulder straps



Comfortable hand grip



D-ring for rope storage

FD-R/50M FREE DIVING STATIV ROPE 50M(164FT)

- 10mm in rope diameter / 50 meters(164ft) in total
- Static elongation of the rope <5%.
- Neon color designed for better visibility underwater.
- The rope holds up to 1800Kgs(3,968lbs)



N8 TIRE INFLATOR

- Copper chrome plating covered by aluminum alloy.
- QD connector design for BC hose.
- With this inflator, FD-IT/15 inner tire can be fully inflated in



FD-IT/15 INNER TIRE

- High quality natural rubber compounded with special formula
- makes the tire more durable than other rubber products.
- Comes with US standard TR-15 valve, can be inflated with bicycle inflator or IST N-8 product.
- Dimension: Inner Diameter: 390mm(15.35")
- Otter Diameter: 750mm(29.53")



Comes with US standard TRR-15 valve



IST CATALOG 2025-26 | FREE DIVING GEAR

BGM-05 MESH BAG WITH HANDLE

- Heavy duty 420D nylon and lasting mesh bottom allows for fast drainage.
- Stainless steel made handle with clip provides convenience, quick and easy access to the interior.

DIMENSION

90cm x 60cm (35.4" x 23.6")



K-21 STAINLESS STEEL KNIFE

- 11cm(4.3") long 420 grade stainless steel pointed-tip blade.
- Serrated edge with line cutting groove.
- Rubber knife straps are included.
- Designed for spearfishing purpose.




WB15-1.3M (4'3") WB15-1.5M (5') RUBBER WEIGHT BELT

- Rubber belt is stretchy and self-adjust to changes in wetsuit's thickness at different depths.
- Sturdy stainless steel buckle.







RENTAL GEAR



Luxury Hard Gear Set

- BCD (J-1900/E)
- Balanced Diaphragm Regulator Set (R-860)
- Adjustable Octopus (O-60)
- Mini 3 Console Guage (GP-500)







Economy Hard Gear Set

- BCD (J800-1000D)
- Piston Regulator Set (R-750)
- Non-Adjustable Octopus (0-50)
- Triple Console Guage (GP-9200)





CS212205 NEW

TWO PIECE COMBO

- MP-212 + SN-205
- BULK Package



CS3060

- NEW
- M-30 + SN-60
- BULK Package



F-20 SUPER S

- Balanced blade and comfortable foot pocket
- Broad sizes range.

SIZES	XXS	XS	S	М	L	XL	XXL
US	1-3	3-5	5-7	7-9	9-11	11-13	13-15
EURO	34-36	36-38	38-40	40-42	42-44	44-46	46-48





FK-30 SPEEDY

- Open heel snorkeling fins.
- Comfortable foot pocket.
- Recommended to be worn with boots or neoprene
- The blades are vented to guide water more efficiently.

SIZ	ES	S/M	L/XL
U	S	4.5-8.5	10-13
EU	RO	37-41	44-48







WSR50 3MM JUMPSUIT

- Optimized for use as rental gear.
- Reversible design with large size marks on both sides to simplify finding and sorting sizes in the dive shop.
- 3mm high-grade neoprene with double blind stitching.
- Super-stretch fabric at armpits for greater movements.
- YKK #5 zippers at ankles for easier donning and doffing.
- Size chart please go to page50.
- REVERSIBLE

CIZEC	MEN'S	S	М	L	XL	XXL
SIZES	WOMEN'S	5	7	9	11	13







BT0430 LOW CUT BOOT

- 3mm Neoprene Nylon Fabric
- Large size marks for rental market

#4- #13 SIZES



B220/B LOW CUT BOOT

- 3mm Neoprene with Rotex upper
- Large size marks for rental market
- With 12mm(0.5") think felt sole



B320/B

- 4mm Neoprene with Rotex upper
- Large size marks for rental market
- With 12mm(0.5") think felt sole
- Zipper: YKK#10







HUKA-FD FLOATATION DEVICE



HUKA-VSN0150 HAVE FUN WITH SAFETY

HAVE FUN WITH SAFTY

Special design to keep the air stick



Please check HUKA video

HUKA-1 INCLUDES 1 ~ 11, 12-1 HUKA-2 INCLUDES 1~11, 12-2

1.	Floatation Device w/ Flag & Inflator 125 x 85 x 20 cm (48.5"x 34"x 8")	х1рс
2.	Huka-R8	х1рс
3.	Huka-060	x 2 pcs
4.	Huka-GP15 (w/o hose)	х1рс
5.	Huka-LP/5ft (1.5M)	x 2 pcs
6.	Huka-HP/5ft (1.5M)	х1рс
7.	ON1-L/NY	x 2 pcs

8.	JT-WP8	x 8 pcs
9.	WB-10	x 2 pcs
10.	HUKA-VSN0150 Size: S, M, L, XL	x 2 pcs
11.	LP-BC	х 1 рс
12-1	Huka-LP/12ft (3.6M) for HUKA-1	x 2 pcs
12-2	Huka-LP/22ft (6.6M) for HUKA-2	x 2 pcs

JT-30H / JT-40H

• Stainless steel plate + Basic harness



Technical BCD Components

JT-30 Single bladder air cell










HB-1 Basic harness & buckle set.







JT-31H / JT-41H

• Aluminum steel plate + Basic harness



HB-3 Crotch strap set.

TAD-1 Single tank adaptor







HD-30H BCD Handle



Back plate pad & pouch.



HB4-SCREW SET

Plate pad hardware.



JT-WP7/SV X2

Tech BCD weight pockets.



JT-30D / JT-40D

• Stainless steel plate + Deluxe harness



JT-31D / JT-41D

• Aluminum steel plate + Deluxe harness

Technical BCD Components

JT-30

Single bladder air cell



Single bladder air cell







HB-2

Deluxe harness & buckle set.

BP-3

Stainless steel back plate.







HB-3

Crotch strap set.

TAD-1 Single tank adaptor

BP-2/I X2

Tank belt







HD-30H

BCD Handle

HB-4 Back plate pad &

pouch.



HB4-SCREW SET

Plate pad hardware.

JT-WP7/SV X2

Tech BCD weight pockets.





JT-30 SINGLE BLADDER SINGLE-TANK AIR CELL (30LBF) JT-40 SINGLE BLADDER SINGLE-TANK AIR CELL (40LBF)

It is designed for single tank use. The air cell is extremely streamlined and its frontal width (as the diver assumes swimming position) is barely wider than an average person's shoulders. Low pressure BC hose included.

- Style: Circular doughnut
- Buoyancy capacity: 30lbf (13.6kgf) / 40lbf (18.1kgf)
- Bladder material: 420D TPU coated nylon
- Shell material: 1680D PU coated ballistic nylon
- Inflator length: 16" (40.6 cm) (tech elbow)
- No. of automatic pressure relieve valve / pull dump: 1 (at left waist side)
- Mounting grommets distance (C-C): 11"(27.9 cm)
- Low pressure BC hose included
- For single back mounted tank only (100cuft / 15L internal volume)


Colors: JT-30: BK. B. R JT-40: BK

C€ APPROVED









Backpacks

Dolphin Tech also offers individual plate and harness backpack combos. Depending on your need, there are 4 models to choose from.

Basic Harness Backpack

JTA-1

Components include:

- Basic harness (HB-1)
- Aluminum plate (BP-4)
- Crotch strap (HB-3)

JTS-1

Components include:

- Basic harness (HB-1)
- Stainless plate (BP-3)
- Crotch strap (HB-3)



Deluxe Harness Backpack

JTA-2

Components include:

- Deluxe harness (HB-2)
- Aluminum plate (BP-4)
- Crotch strap (HB-3)

JTS-2

Components include:

- Deluxe harness (HB-2)
- Stainless plate (BP-3)
- Crotch strap (HB-3)



HB-1 BASIC HARNESS

- Material: 5cm(2") wide, 2.5mm thick nylon
- Overall length: 320cm(126") with center
- HB1-L: 355.6cm(140") in overall length



HB-2 DELUXE HARNESS HB2-L

- 5cm(2") wide, 2.5mm thick nylon webbing
- Anatomic shoulder pads and waist cushions
- Overall length: 320cm(126") (maximum)
- HB2-L: 355.6 cm(140") in overall length



HBC-1 TECHNICAL BCD CHEST STRAP

- Quick release BCD chest strap.
- Suitable for webbing on the backpack up to 2.5cm(1").
- Strap is adjustable and holds BCD in place.
- Total length: 40cm (15.7").





HB-3 CROTCH STRAP

The soft crotch strap further secures and stabilities your scuba rig to your torso without causing any discomfort.

- Soft 5cm(2") wide, 1.2mm thick nylon webbing
- Pre-fixed webbing keeper and flat stainless D-ring



HBH-1 HARNESS HOSE HOLDER

The holder conveniently keeps the BCD inflator hose close to the diver's torso when used with the Basic Harness.



HBW-2 WAIST PAD

Comfortable waist pads with webbing keepers and belt loops to securely fasten them to the Deluxe Harness.

- Foam waist padding.
- Available in 2 sizes: S/M, L/XL

	LENGTH
S/M	24cm (9.5')
L/XL	28cm (11')
	4

BP-3 STAINLESS STEEL BACK PLATE **BP-4** ALUMINUM BACK PLATE

BP-3


- Material: 304 stainless steel
- Weight: 2.25kg(4.96lb)
- Mounting hole distance: 11"(27.9cm)
- Strong, rust-resistant
- Forms a part of the weighting system
- Pre-bent anatomical lower corners

BP-4

- Material: 6061 aluminum
- Weight: 0.8kg(1.76lb)
- Mounting hole distance: 11"(27.9cm)
- Light-weight, excellent for traveling

The back plate is the heart of a technical buoyancy compensator. It provides the vital connection between a diver and his scuba. Individually press-formed and all edges de-burred, DOLPHIN TECH back plates have 5cm(2") slots for the harness and crotch strap as well as 10 perimeter holes for attaching additional equipment such as stage bottles and canister torch. There are 3 sets of tank mounting holes along the plate's center line, giving the diving easier option to fine tune tank to torso position.





Each set is 2.5cm(1") apart and the distance between the holes of the same set is at industry standard 27.9cm(11") apart.

SBR-2 (For tank 7"-7.25") **SBR2-1** (For tank 5.25")

STAGE BOTTLE RIGGINGS

• Comes with stainless steel clip.





TAD-1 LOW PROFILE SINGLE TANK ADAPTER

- Material: 304 stainless steel
- Weight (incl. mounting hardware): 0.4kg (0.88lb)
- Mounting hole distance: 11"(27.9cm)

Made from strong and corrosion resistant stainless steel, DOLPHIN TECH single tank adaptor is essential when attaching a scuba cylinder to your tech BCD. It is lowprofile but creates enough space for a fully inflated air cell to go between the cylinder and the plate. The square mounting holes assist BCD assembling. Attachment hardware comes with 2 washers, winged nuts and split washers, and screws.



BP3H TWIN TANK BAND SET

- Material: 304 stainless steel
- Band height: 5cm(2")
- Band thickness: 1.5mm
- Weight (incl. mounting hardware): 1.57kg(3.46lb)
- Compatible with: Twin Ø184mm (7.25") cylinders

The recommended manifold clearance (valves' center to center distance) is 215mm ± 3mm. Each twin band set consists of 2 bands and stainless steel connecting hardware -

2 bolts (with welded-on end nut), 2 aircraft nuts, 2 winged nuts, 2 split washers and 8 washers and 2 screws(5.9").



TSP-2 THIGH STORAGE POUCH

• Material: wear-resistant 1680D PU-coated nylon, elastic thigh straps with quick release buckles, No.10 rust-proof YKK zip.

DIMENSION 25 cm x 15 cm x 6 cm (9.8" x 5.9" x 2.4")



WK-6 MULTI-FUNCTIONAL WEIGHT PLATE



- Material: 5052 Aluminum + Black Coating
- Weight capacity: 2kg (4.4lb) per plate.
- Dimension: 5.6cmx7.6cmx0.25cm (2.2"x3"x0.1")





Tech BCD Weight Pocket

These DOLPHIN TECH weight pouches provide a secure place on the tech BCD for the weight. Once mounted, they will not interfere with any movement while diving and the simple, fail-safe quick release mechanism works every time.

JT-WP8

- Non-diver releasable trim weight pouches for improved weight distribution and balance.
- Heavy duty 1680D nylon material will prolong usage.
- Open corners for drainage.
- Store extra weight on your belt while keeping it out of

Weight capacity 2kg(4.4lb)





JT-WP5

Outer pouch material Heavy duty 1680D nylon Inner pouch material 420D nylon 4kg(8.8lb) per pocket Weight capacity





JT-WP4/SV

Outer pouch material Heavy duty 1680D nylon 420D nylon Inner pouch material 4kg(8.8lb) per pocket Weight capacity



Outer pouch material Heavy duty 1680D nylon 420D nylon Inner pouch material Weight capacity 7kg(15.4lb) per pocket





IF-SMB/N KINFLATOR

- Length 13"(33cm), 16"(40.6cm), 19"(48.3cm) or 22"(55.9cm)
- Connector style: Tech K style



HD-30H BCD HANDLE

This convenient feature makes attaching your tech BCD to the scuba cylinder an easy task and gives a carrying point for general handling of the BCD.



BP2/I TANK BAND

The strong, lightweight cam buckle can withstand rigorous use. Supple 2"(5 cm) webbing makes threading an easy task. Fits tanks with diameter from 175mm(6.9") to 203mm(8")



BP2/S S.S. CAM BUCKLE CYLINDER BAND

The cam buckle is made from 316 stainless steel. It is high in tensile strength and is resistant to corrosion. This cylinder band is a great upgrae from our standard BP2. Fits cylinder with outside diameter from 183mm (7.25") to 203mm (8").



HB4-SCREW SCREW SET

- Material: 304 stainless steel
- Each set includes: Screw. washer and book style nut. These hardware are used to attach the plate pouch to the back plate. Each pack includes 8 sets.











HB-4 PLATE POUCH

The pouch utilizes the back plate's recess to provide a convenient and streamlined storage space for your SMB which will be in a handy position when deployment is needed.



DR-1 BENT D-RING

- Material: 304 stainless steel
- Thickness: Ø5mm (0.2")
- Bent angle: 25° TIG welded D-rings for superior strenath.



DR-2 FLAT D-RING

- Material: 304 stainless steel
- Thickness: Ø5mm (0.2") TIG welded D-rings for superior strength.



DR-4 DR-5 COMMERCIAL DIVING HARNESS

• Material: 304 stainless steel TIG welded D-rings for superior strength.



DR-4 Ø6mm(Ø0.23") **DR-5** Ø8mm(Ø0.31")



DR-8 MULTI-PURPOSE D-RING

- Combination of webbing keeper and D-ring.
- Material: 304 Stainless Steel

DIMENSION

10.5cm x 3.8cm (4.13" x 1.5")






BB-3 CAM BELT BUCKLE

• 304 S.S cam lock belt buckle







WK-4 **WEBBING KEEPER**

WK-4 is designed to stop the webbing from moving. Each has 2 x 5 cm (2") wide slots. It has the strength to hold the harness and a heavy equipment

DIMENSION

2.1cm x 6cm (0.83" x 2.3")



WK-5 **WEBBING KEEPER**

304 Stainless Steel webbing keeper.

DIMENSION

4.57 cm x 6.6 cm (1.8" x 2.6")





Tank Valves







1. VLV-LTLEFT K VALVE

2. VLV-RTRIGHT K VALVE





- Material: Chrome plated brass
- Valve knob material: Thermal plastic
- Available in 200 or 300 bar version
- Tank neck valve thread: 3/4" 14NSP or M25 x 2
- DIN female thread: G5/8 or M25
- Burst disk rupture pressure @ 310 bar (4500psi)
- The 200 bar version comes with YK-04 DIN to Yoke tank valve converter
- The burst discs are protected in a recess at the back of the valves.

3. VLV-PLT LEFT K VALVE PLUG

3. VLV-PRTRIGHT K VALVE PLUG

• Attaches to: Left K valve (left-hand thread)



• Attaches to: Left K valve (right-hand thread)



- Material: Chrome plated brass
- These plugs are needed when tank valves are to be used independently. Each has 2 o-rings for extra secure sealing.

4. VLV-HLT LEFT H VALVE 4. VLV-HRT RIGHT H VALVE

- Material: Chrome plated brass
- Valve knob material: high impact plastic
- Available in 200 bar outlet version
- DIN female thread: G5/8

The H valve allows the diver to use 2 independent sets of regulators on a single tank, providing redundancy requirement technical divers need. Comes with YK-04 DIN to Yoke tank valve converter









Attaches to Right K valve (left-hand thread)

5. VLV-TWN/200 200 BAR MANIFOLD

5. VLV-TWN/300 300 BAR MANIFOLD

6. VLV-MNF ISOLATION CROSS BAR





This item consists of a set of K valves (left and right) and the isolation cross bar needed for a twin tank setup. Available in 200 bar DIN version with YK-04 DIN to Yoke valve converter or 300 bar DIN only version.

Cross Bar Length

180mm(7.09")

Centre to Centre Spacing

214mm ± 3mm

Compatible with

Twin Ø184mm(7.25") or Ø203mm(8")

Shock absorbing, low friction valve knob and double o-rings for redundancy and better shock absorption.

Cross Bar Length

180mm(7.09")

Valve Knob Material

Thermal plastic

Material

Chrome plated brass

TK-1 TANK KNOB

Material: Rubber

- Available in black or green to signify Nitrox / Oxygen tanks.



YK-03 DIN TO YOKE 1ST STAGE CONVERTER

- Material: Chrome plated brass
- Compatible with: G5/8 200 bar or G5/8
- Maximum working pressure: 232 bar (3365psi)



YK-04 DIN TO YOKE 1ST STAGE CONVERTER

• DIN to Yoke tank valve converter for tanks with 200 bar DIN outlet (G 5/8) only



VP-4 DIN VALVE PLASTIC CAP



DC-2P

1ST STAGE PLASTIC DIN DUST COVER





HHBP-I

COMMERCIAL DIVING BELL HARNESS

Specification

- Plate thickness: 8.2mm / 0.32"
- Plate reinforcement: Nvlon mesh (2 lavers)
- Plate buoyancy: Negative
- Dry weight (rubber plate): 750g / 1.65lb
- Dry weight (complete): 2.4kg / 5.3lb (Size: L)
- Webbing: 3.5mm thick, 2 inch wide nylon
- Rivet: Stainless steel (36)
- Hardware: Stainless steel

XS, S, M, L, XL



HHBP-III

COMMERCIAL DIVING BELL HARNESS

- Easy to use.
- Commercial diving bell harness with rubber back plate and crotch straps.
- Marseille style buckles on crotch straps provide convenience and easy to use.

Specification

- Plate thickness: 8.2mm / 0.32"
- Plate reinforcement: Nylon mesh (2 layers)
- Plate buoyancy: Negative
- Dry weight (rubber plate): 750g / 1.65 lb
- Webbing: 3.5mm thick, 2 inch wide nylon
- Rivet: Stainless steel (42)

XS, S, M, L, XL

• Grommets: Brass(20)

SIZES



HHBP-VII COMMERCIAL DIVING BELL HARNESS

- Back plate: IST BP-3 stainless steel back plate
- Webbing: 3.5mm thick, 2 inch wide nylon
- Rivet: Stainless steel (50)
- Hardware: Stainless steel

SIZES

XS, S, M, L, XL



HHBP-V COMMERCIAL DIVING BELL HARNESS

- Webbing: 3.5mm thick, 2 inch wide nylon
- Rivet: Stainless steel (32)
- Hardware: Stainless steel

SIZES XS, S, M, L, XL



HHWB-W05/S 5 LB LEAD WEIGHT SET

HHWB-W08/S 8 LB LEAD WEIGHT SET

- Design for IST HHWB commercial diving weight belt.
- Comes with stainless steel screw, nut and plate sets.







HHWB-W05 **5 LB LEAD WEIGHT** HHWB-W08 8 LB LEAD WEIGHT

• 5 lbs or 8 lbs lead weight for HHWB commercial diving weight belt.



HHWB-SS

- Nvlon shoulder straps for HHWB commercial diving weight belt.
- Comes with 4 stainless steel



HHWB-25 HHWB-40

- Commercial diving weight
- Comes with 5 x 5 lbs or 5 x 8 lbs lead weight.
- High grade rubber weight belt with 2 added layers of tear- resistant nylon mesh as reinforcement.



HHWB-25/S HHWB-40/S

- Commercial diving weight belt with adjustable nylon shoulder straps.
- Comes with 5 x 5 lbs or 5 x 8 lbs lead
- High grade rubber weight belt with 2 added layers of tear-resistant nylon mesh as reinforcement.



HHWB-BB

- Stainless steel buckle set for HHWB weight belt.
- Comes with 4 x 5/8" screws (HHWB-SCREW1) and 2 x stainless steel plates.



BP-5 RUBBER PLATE

Each waist strap comes with 2 x 6mm hook up D-rings, secured to the lower edge and a large 8mm emergency hook up D-ring is riveted to the top of the center strap, located in between the shoulder straps.











MV-1 VELCRO TAPE

Velcro tape helps you to fix the extra webbings.







T-60 APOLLO LED TORCH

- Four selectable operation modes: High Output Mode→Mid Output Mode→Low Output Mode→SOS Mode→OFF
- Magnetic power switch
- 6061-T6 Light-weight aluminum material
- Light diffuser attachable
- Patented build-in sliding cover provides protection for users to the strong light when using the diffuser
- Come with one lanyard

Bulb type	1 x CREE XM-L2 U3
LED life	50000 hours
Brightness	1200 Lumens
Burn time	2-10 hours
Max. Depth	100m / 328ft
Weight(dry)	116g / 0.26lb (without battery)
Buoyancy	Negative
Two Kinds of Battery type	1 x 18650 rechargeable Li-ion (recommend) or 2 x CR123A primary lithium batteries
Dimension	13.2cm x Ø2.6cm (5.20" xØ1.02")

T16 SINGLE HIGH POWER LED BACK-UP TORCH

- Handy-sized 3 watt back-up torch with effective illumination.
- Specially designed switch lock system to prevent accidental
- Double o-ring sealed provides extra security against leakage.
- Quick and easy battery replacement.
- Strong plastic casing.

Burn time	5+ hours
LED life	10000+ hours
Colour temp.	5500K
Brightness	900 Lumens
Max. Depth	60m / 197ft
Weight(dry)	165g / 0.36lb (without battery)
Buoyancy	Positive
Battery type	3 C-sized batteries
Dimension	16 cm × 6 cm x 5 cm (6.2" × 2.4" × 2")







• Capacity: 131L

• Telescopic handle can be stowed away when not rolling.

• Super light but durable polyester fabric makes this bag extremely suited for traveling and it's 5 kg (11 LB) only!

DIMENSION 80cm x 47cm x 40cm (31.5" x 18.5" x 16")





MGB-11 MGB-12 MESH BAG

	DIMENSION
MGB-11	81cm x Ø40cm (32" x Ø16")
MGB-12	68cm x Ø32cm (27" x Ø12")



MGB-36 MESH BAG

- Made from lightweight and tough 600D polyester fabric with durable nylon mesh
- Roomy, lightweight, and easy to maintain

DIMENSION 75cm x 30cm x 24cm (29.5" x 11.8" x 9.4")



MGB-10 FOLDED MESH BAG

- Large retractable mesh backpack.
- When not in use, MGB-10 can be folded and tucked away neatly in your equipment bag.

DIMENSION		
Fully Extended	73cm x 35cm x 40cm (29" x 14" x 16")	
Folded	7cm x 20cm x 25cm (2.7" x 7.9" x 9.8")	



BGM-02 ONE-HAND-RELEASE GAME BAG

- Spring-loaded handle catch bag provides convenience, quick and easy access to the interior.
- The bag can be opened with only one hand, leaving the other hand free to hold on to the catch.
- Heavy duty 420D nylon and lasting mesh bottom allows for
- Stainless steel made handle and spring.

DIMENSION

70cm x 42cm (27" x 16")









DB-14

Mesh bag with plastic D-ring and drawstring closure.

DIMENSION

68.5cm x 41cm (26" x 16")



BGM-05

Heavy duty 420D nylon and lasting mesh bottom allows for fast drainage.

Stainless steel made handle with clip provides convenience, quick and easy access to the interior.

DIMENSION

90cm x 60cm (35.4" x 23.6")



DB-6 DRY CANISTER

Dimension: Ø 5cm x 18cm (Ø2" x 7") Colors: BK, NY, R



DB-40L/N 40L DRY BAG

- Comes with two padded shoulder straps.
- Lightweight, durable dry bags.
- Made from environmental friendly material (500D TPU coated PVC).

DIMENSION

Ø30cm x 72cm (Ø11.8" x 28")



Deluxe shoulder straps



DB-10L 10L DRY BAG

- Lightweight and durable dry bag made from environmental friendly material 500D TPU coated fabric.
- Comes with 1.5" webbing strap.

DIMENSION

Ø20cm x 48cm (Ø7.9" x 18.9")



DB-20L 20L DRY BAG

- Lightweight and durable dry bag made from environmental friendly material 500D TPU coated fabric.
- Comes with 1.5" webbing strap.

DIMENSION

Ø23.5cm x 61cm (Ø9.3" x 24")



K-25 KNIFE SCISSORS

- Overall length: 28cm (11")
- 420 grade stainless steel with pointed-tip blade
- Rubber knife straps are included
- Easy for one-handed operation



K-21 STAINLESS STEEL KNIFE

- 11cm(4.3") long 420 grade stainless steel pointed-tip blade
- Serrated edge with line cutting groove
- Rubber knife straps included
- Designed for spearfishing purpose



K-09/S

- 13.5cm(5 3/8") long 420 grade stainless steel blade
- Steel butt for underwater signaling
- Proper serrated edge and line cutting groove
- Rubber knife straps included







KB-01

- Rubber knife strap.
- 45cm(17.7") long.





K-28 BCD KNIFE

- Back-up BCD knife with 7cm(2.8") 420 grade stainless
- Durable nylon sheath, which can be mounted upside down on BCD shoulder strap or stored in BCD pockets.
- Serrated edge with line cutting groove



K-30 BCD KNIFE

- Back-up BC knife made from high grade #6-4 titanium
- Durable and easy-carry nylon sheath, which can be mounted upside down on BC shoulder strap or stored in BC pockets
- Serrated edge with line cutting groove
- Overall length: 15cm (5.9")





K-50 BCD KNIFE

Total Length: 13.8cm (5,4")

Blade

440C Stainless Steel with blackening finishina.

Length: 7.2cm (2.8")

Handle

G10 high performance material made from high-pressure strong epoxy bond laminated fiberglass. Perfect design for crucial environment.





K-40 BCD KNIFE

- Foldable #304 stainless steel diving BCD knife
- Comes with lanyard

LENGTH		
Extend	21cm (8.25")	
Fold	12cm (4.7")	



RL-3/N 30M /100FT RL-4/N 50M /165FT RL-5/N 15M /45FT

- The last 5m(15ft) line has been changed into orange color for the purpose of being as a decompression stop reminder for divers
- Comes with marine grade brass clip
- Strong string with special braiding capable of holding onto object with maximum 80kg / 176lb(dry weight)
- Light weight construction:

RL-3/N 156g (5.5oz) RL-4/N 194g (6.83oz) RL-5/N 115q (4.06oz)







RL-6/N 15M /45FT ALUMINUM REEL RL-7/N 30M/100FT ALUMINUM REEL

- The last 5m(15ft) line has been changed into orange color for the purpose of being as a decompression stop reminder for divers
- Strong string with special braiding capable of holding onto object with maximum 80kg / 176 lb (dry weight)
- Flared design makes for easier winding when wearing gloves underwater.
- Larger center hole can accommodate thicker gloves.
- Constructed of tough anodized aluminum alloy for durability.
- Come with a 10cm (4") 304 stainless steel double clip.
- Light weight construction: RL-6/N 236q(8.32oz.) RL-7/N 291g(10.26oz.)





RL-6/N

RL-7/N

RL-180M /265FT RL-2 45M /150FT

- Strong string with special braiding capable of holding onto object with maximum 80kg / 176 lb (dry weight)
- Reel and carrying handle made from durable ABS
- Ratcheted system allows better control of the line when paying out and reeling in





LB-50/Q 50 LBF LIFT BAG LB-100/Q 100 LBF LIFT BAG

- 50lbf and 100lbf lift bag with quick-disconnect inflation valve and over-pressure valve.
- 304 stainless steel D-ring.



SB-10/A NEW

SURFACE MAKER BUOY WITH REEL

- Made from 75D TPU coated Nylon + SOLAS reflective tape
- Reel: 15m(45ft) / Line has been changed into orange color for the purpose of being as a decompression stop reminder.
- Dimension: 181cm x 13.5cm (71.2" x 5.3")
- Stainless Steel clip (76mm) include.

DIMENSION 181cm x 13.5cm (71.2" x 5.3")






SB-9 "DIVER BELOW" BUOY

• Made from 75D TPU coated Nylon.

DIMENSION 181cm x 13.5cm (71.2" x 5.3")









SB-5 SURFACE MARKER BUOY

Reusable safety sausage with a unique two-layer design: the outer layer is made of 210D nylon with water-resistant PU coating, which protects the inner bladder.

DIMENSION 154cm x 18cm (60" x 7")



The sturdy storage pouch has a mesh bottom for quick drainage. It can be carried on any 2" webbing or clipped onto a d-ring.



SB-8/Q-R SURFACE MARKER BUOY WITH REFLECTIVE TAPE

- Made from 210D TPU coated Nylon.
- Plastic oral inflator.
- SOLAS reflective tape.

DIMENSION 114cm x 12cm (45" x 4.7")





SB-10/A MULJOS SB-5 SB-8/Q-R

WR-1

UNDERWATER WRITING SLATE

- Comes with a clip for convenient carrying
- Equipped with quick release buckle

DIMENSION 12.5cm x 15cm(5" x 6")



WR-3

MULTI-SIDED UNDERWATER WRITING SLATE

- Unique slate with elastic hinge for more writing space without losing compactness
- Can be attached to the forearm for streamlining and out of the way of any wrist instrument

DIMENSION 12.5cm x 10cm (4.9" x 3.9")



WR-5 UNDERWATER NOTEBOOK

• Contains 25 pages of reusable waterproof paper.

• The cover is made from durable 2250D PU coated ballistic nylon.

DIMENSION		
Open	20cm x 25cm(8" x 10")	
Folded	20cm x 12.5cm(8" x 5")	



WR5-REFILL UNDERWATER NOTEBOOK REFILLED

• 25 Pages of waterproof reusable with hard plastic covers.

	DIMENSION
Open	17.5cm x 20.4cm(7" x 8")
Folded	17.5cm x 10.2cm(7" x 4")



WR-6/A UNDERWATER SLATE WITH RETRACTOR NEW

- Underwater slate with ruler (length 15 cm / 6").
- With retractor pulled back while writing
- Stainless steel wire length @ 54 cm (18.7").

DIMENSION 10cm x 15cm (3.9" x 5.9")



TA-8 SIGNALING DEVICE

- Stainless steel underwater shaker with magnetic device to stop unwanted rattle.
- Overall length: 15cm (5.9")





TA-7 • Aluminum pointer with ruler and lanyard. OVERALL LENGTH 30cm (11.8")



CPR EMERGENCY RESUSCITATION KIT

- Allows mouth to mouth resuscitation without physical contact.
- Made from hypoallergenic silicone.
- Separate oxygen tube inlet.
- Comes with protective case.



AW-1 LINE ARROW



AW-3 LINE ARROW • Colors: NY, O, W • Overall Length: 8.4cm(3.3")

MP-1 SILICONE MOUTHPIECE



MP-2 SILICONE MOUTHPIECE

• Comfort Style



MP-5 SILICONE MOUTHPIECE

• Ergonomic Style



MP-7 SILICONE MOUTHPIECE

• Comfort + ergonomic style



MP1-M SILICONE MINI MOUTHPIECE



MP-9 (NEW/ SILICONE MOUTHPIECE

Dual-color mouthpiece for personal color preference.

- Made from softer silicone for a comfortable bite.
- Reinforced biting surface for added durability.
- Universal fit for various snorkels and second stages.



MP-6 MOULDABLE MOUTHPIECE

Simply immerse the mouthpiece (including all of its attachments to keep its profile in critical sections) into 95°C / 203°F water for 30 seconds, place it inside mouth, biting down and sucking on it for 30 seconds. Rinse with cold water and then recheck fit. Repeat the process as necessary.



WB-10 WEIGHT BELT

- Weight belt with plastic buckle and 5cm(2") webbing.
- 150cm (5') long.







BB BELT BUCKLE-PLASTICS



BB-3 CAM BELT BUCKLE

- 304 stainless steel cam lock belt buckle.
- Secure 3-slot design







WB-12 WEIGHT BELT

- Weight belt with BB-3 stainless buckle and 5cm(2") webbing.
- 150cm(5') long.







WB15-1.3M (4'3") **WB15-1.5M** (5') RUBBER WEIGHT BELT

- Rubber belt is stretchy and self-adjust to changes in wetsuit's thickness at different depths
- Sturdy stainless steel buckle



W-01 1KG(2.2LB) COATED LEAD WEIGHT W-02 2KG(4.4LB) COATED LEAD WEIGHT

- Safe to handle and better for the environment.
- Plastic coating will prolong usage.
- 5cm (2") webbing slots.







WK-2 D-RING WEBBING KEEPER

• 304 stainless webbing keeper with serrated teeth and a D-ring welded on for convenience. The slots are 5cm(2") wide.



WK-3 WEBBING KEEPER

• 304 stainless webbing keeper with serrated teeth and cal also function as a weight keeper. The slots are 5cm(2")



WK-4 WEBBING KEEPER

• WK-4 is designed to stop the webbing from moving. Each has 2 x 5 cm (2") wide slots. It has the strength to hold the harness and a heavy equipment load.

DIMENSION 2.1cm x 6cm(0.83" x 2.3")



WK-5 WEBBING KEEPER

• 304 grade stainless webbing


DIMENSION 4.57 cm x 6.6 cm (1.8" x 2.6")



WK-6 WEIGHT HOLDER NEW



- Material: 5052 Aluminum + Black Coating
- Weight capacity: 2kg(4.4lb) per plate.
- Dimension: 5.6cmx7.6cmx0.25cm (2.2"x3"x0.1")







WK WEBBING KEEPER

• Webbing keeper with serrated teeth. It is durable enough to be used as weight keeper. The slots are 5cm(2") wide.









JL-5/L DOUBLE DUAL DRIFT HOOK • Stainless steel hook and snap. • Overall length: 150cm(5')

JL-6 COILED DRIFT HOOK

- Stainless steel wire-reinforced coil drift hook with high grade stainless steel hook and clip
- Max. Load: 80KG (176lb)
- Overall length: 9.5cm (3.7")
- Length in full extension: 1.5M (4'11")






JL-7 LARGE DRIFT HOOK

- Large size hook
- 304 stainless steel hook and snap
- Overall length: 150cm (5")





SP-6A

PU coil lanyard clip.



SP-26A RETRACTOR

- Overall Length: 18.2cm(7.15")
- Maximum extension: 109.2 cm(43")



DF1/S DIVE FLAG DF2/S

- Nylon "Diver-Down" flag with metal grommets.
- 304 stainless steel stiffener.

DIMENSION		
DF1/S	50cm x 60cm (20" x 24")	
DF2/S	35cm x 45cm (14" x 18")	



DF3/S ALPHA DIVE FLAG DF4/S

Nylon Alpha "A" flag with 304 stainless steel stiffener and metal grommets.

DF3/S	50cm x 60cm (20" x 24")
DF4/S	35cm x 45cm (14" x 18")

DIMENSION



SP7A-1

Stainless steel wire-reinforced coil lanyard with quick release buckle and stainless steel clip



SP-8A

Stainless steel wire-reinforced coil lanyard with quick release buckle and stainless steel clip



SP-2A/S

- Small swivel stainless steel 316 grade clip with 1" webbing
- Can be used with 2" wide weight belt



KC01-A

- Tank shaped key
- O-ring hook included:

Ø11mm x 2.4mm x 1 Ø14mm x 2.4mm x 3







KC13 SAFARIKEY CHAIN

DIMENSION 10.5cm x 2.7cm x 0.9cm (4.1" x 1" x 0.1")



SP-31A

- S.S. double-end clips.
- Overall length: 10cm(3.94")
- Each gate is rounded for safe underwater operation



SP-32A

• Overall length: 10cm(3.94")



SP-33A

• Overall length: 7cm(2.8")



SP-34A

- 5cm(2") stainless steel quick link provides convenient semipermanent connection
- 5mm wire thickness
- All sharp edges removed from the manufacturing process



SP-35A

- 4cm(1.6") stainless steel quick link.
- 4mm wire thickness.
- All sharp edges removed from the manufacturing process.



SP-37A

- 316 grade stainless steel clip.
- Overall length: 8.5cm(3.3")



SP-38A

- 316 grade stainless steel clip.
- Overall length: 8cm(3.1")



SP-40A DOUBLE-END CLIP

- Stainless steel double-end clip
- Overall length: 10cm (3.94")





SP-41A STAINLESS STEEL DOUBLE-END CLIP

- Corrosion-resistant stainless steel construction.
- Total length: 10.8cm (4.25")are 5cm(2") wide.



SP-42A STAINLESS STEEL CLIP

• Overall length: 11cm (4.3")



H-1 (NEW) MULTI-PURPOSE HANGER

- With detachable side T-slots and frame, it's easy to carry and store.
- A versatile hanger with three hooks and two wave bars, suitable for hanging BCDs, regulators (both YOKE and DIN), wetsuits, gloves, and other gear.



H-3 WETSUIT HANGER

- Flexible arms which can be shaped for suit
- Padded contact surface to prevent creasing and marking while hanging.
- Hook can be disassembled to save storage space.



H-6 MULTI-PURPOSE HANGER

• A versatile hanger which can be used to hang equipment such as BCD, regulator, gloves and boots.




H-7 DRY-SUIT HANGER

- 2-in-1 hanger for post-dive dry suit and regulator drying
- Built-in dummy cylinder valve for easy regulator attachment (DIN/ Yoke compatible).



H-8 WETSUIT HANGER



H-9 MULTI-PURPOSE HANGER

- A versatile hanger which can be used to hang equipment such as regulator, gloves, BCD and boots.
- Colors: B. Y



NC1-SET NEOPRENE SUIT REPAIR GLUE SET

- 30ml x 2
- Comes in 1 transparent glue and 1 black glue



NC1 NEOPRENE SUIT REPAIR GLUE

- 30ml
- Comes in 1 transparent glue and 1 black glue





DR-1 BENT D-RING

- Material: 304 stainless steel
- Thickness: Ø5mm (0.2")
- Bent angle: 25°
- TIG welded D-rings for superior strength.



DR-2 FLAT D-RING

- Material: 304 stainless steel
- Thickness: Ø5mm (0.2")
- TIG welded D-rings for superior strength.



DR-4 COMMERCIAL D-RING DR-5

- Material: 304 stainless steel
- TIG welded D-rings for superior strength.

DIMENSION

DR-4 Ø6mm(Ø0.23") **DR-5** Ø8mm(Ø0.31")



DR-8 COMBINATION OF WEBBING KEEPER AND D-RING

- Combination of webbing keeper and D-ring.
- Material: 304 Stainless Steel

DIMENSION

10.5cm x 3.8cm (4.13" x 1.5")




SD-1

Lanyard with silicone tube sleeve and stopper for convenient usage











R7 YOKE EXPLODED VIEW



No.	Item No.	Description
1	YK-01	Yoke knob
2	MR7-02	Yoke
3	MR7-03	Styling cup
4	MR7-04	Dust cap
5	MR7-05	Gas inlet / Yoke retaining nut
6	MR7-06	Cone mesh filter
7	MR7-07	NBR O-ring (AS568-011 N90)
8	MR7-08	Main housing
9	MR7-09	High-pressure seat
10	MR7-10	NBR O-ring (AS568-008 N70)
11	MR7-11	Pressure adjustment shim - Thin
12	MR7-12	Main spring
13	MR7-13	Pressure adjustment shim - thick
14	MR7-14	Piston
15	MR7-15	NBR O-ring (AS568-023 N70)
16	MR7-16	Ambient pressure chamber
17	MR7-17	LP port plug
18	MR7-18	LP port plug O-ring (AS568-011 N70)
19	MR7-19	HP port plug
20	MR7-20	HP port plug O-ring (AS568-012 N90)


R8 EXPLODED VIEW



No.	Item No.	Description
1	YK01	Yoke knob
2	MR8-02	Yoke (Max. 232 BAR)
3	MR8-03	Dust cap
4	MR8-04	Saddle
5	MR8-05	Retainer Ring
6	MR8-06	Mesh filter
7	MR8-07	NBR O-RING 9.0X1.5 N90
8	MR8-08	Yoke Retainer
9	MR8-09	NBR O-ring AS568-011 N90
10	MR8-10	Main housing
11	MR8-11	Diaphragm Lifter
12	MR8-12	Diaphragm
13	MR8-13	Diaphragm washer
14	MR8-14	Spring seat
15	MR8-15	Spring washer
16	MR8-16	Main spring

No.	Item No.	Description
17	MR8-17	Diaphragm cap
18	MR8-18	Adjust Screw
19	MR8-19	NBR O-ring AS568-024 N70
20	MR8-20	Turret
21	MR8-21	H. P. Seat
22	MR8-22	Valve Spring
23	MR8-23	NBR O-ring AS568-006 N90
24	MR8-24	NBR O-ring AS568-013 N90
25	MR8-25	Thrust washer
26	MR8-26	NBR O-ring AS568-019 N70
27	MR8-27	Turret bolt
28	MR8-28	NBR O-ring AS568-012 N90
29	MR8-29	H. P. plug
30	MR8-30	NBR O-ring AS568-011 N70
31	MR8-31	L. P. plug


R8/5-N EXPLODED VIEW



No.	Item No.	Description	
1	YK01	Yoke Knob	
2	MR8-02	Yoke (Max.232 BAR)	
3	MR8-03	Dust Cap	
4	MR8-04	Saddle	
5	MR8-05	Retainer Ring	
6	MR8-06	Mesh Filter	
7	MR8-07	NBR O-ring 9.0 X 1.5 N90	
8	MR8-08	Yoke Retainer	
9	MR8-09	NBR O-ring AS568-011 N90	
10	MR8-10	Main Housing	
11	MR8-11	Diaphragm Lifter	
12	MR8-12	Diaphragm	
13	MR8-13	Diaphragm Washer	
14	MR8-14	Spring seat	
15	MR8-15	Spring Washer	
16	MR8-16	Main Spring	

No.	Item No.	Description	
17	MR8-17	Diaphragm Cap	
18	MR8-18	Adjust Screw	
19	MR8-19	NBR O-ring AS568-024 N70	
20	MR8-20	Turret	
21	MR8-21	H.P. Seat	
22	MR8-22	Valve Spring	
23	MR8-23	NBR O-ring AS568-006 N90	
24	MR8-24	NBR O-ring AS568-013 N90	
25	MR8-25	Thrust Washer	
26	MR8-26	NBR O-ring AS568-019 N90	
27/5	MR8-27/5	Turret Bolt with 5th Port	
28	MR8-28	NBR O-ring AS568-012 N90	
29	MR8-29	H.P. Plug	
30 MR8-30 NBR O-ring AS568-0		NBR O-ring AS568-011 N90	
31	MR8-31	L.P. Plug	
32	MR8-32	Transmittor	
33	MR8-33	Silicone Disk	
34	MR8-34	EN Cap	


R8/N-DIN/5 EXPLODED VIEW



No.	Item No.	Description	
D1	MR8-D1	NBR O-ring AS568-112 N90	
D2	MR8-D2	DIN Retainer	
24	MR8-24	NBR O-ring AS568-013 N90	
D3	MR8-D3	DIN Filter	
D4	MR8-D4	NBR O-ring S-8 N90	
D5	MR8-D5	DIN Wheel	
D6	MR8-D6	DIN Housing	
D7	MR8-D7	NBR O-ring 9.0 X 1.5 N90	
3	MR8-03	Dust Cap	
4	MR8-04	Saddle	
10	MR8-10	Main Housing	
11	MR8-11	Diaphragm Lifter	
12	MR8-12	Diaphragm	
13	MR8-13	Diaphragm Washer	
14	MR8-14	Spring Seat	
15	MR8-15	Spring Washer	
16	MR8-16	Main Spring	
17N	MR8-17N	Diaphragm Clamp (Ice) - replace MR8-17	

No.	Item No.	Description	
18	MR8-18	Adjust Screw	
19	MR8-19	NBR O-ring AS568-024 N90	
20	MR8-20	Turret	
21	MR8-21	H.P. Seat	
22	MR8-22	Valve Spring	
23	MR8-23	NBR O-ring AS568-006 N90	
24	MR8-24	NBR O-ring AS568-013 N90	
25	MR8-25	Thrust Washer	
26	MR8-26	NBR O-ring AS568-019 N90	
27/5	MR8-27/5	Turret Bolt with 5th Port	
28	MR8-28	NBR O-ring AS568-012 N90	
29	MR8-29	H.P. Plug	
30	MR8-30	NBR O-ring AS568-011 N90	
31	MR8-31	L.P. Plug	
32	MR8-32	Transmittor	
33	MR8-33	Silicone Disk	
34	MR8-34	EN Cap	


060 EXPLODED VIEW



No.	Item No.	Description	
1	O6001	Main Housing	
2	-	Zip Tie	
3	MP5BS	Silicone Mouthpiece	
4	O6004	Exhaust Valve	
5	O6005	Exhaust Tee	
6	O6006	O-ring	
7	O6007	Spacer	
8	O6008	Nut	
9	O6009	Orifice	
10	O6010	O-ring	
11	O6011	Diaphragm Washer	
17	O6017	Aluminium Ring	
18	O6018	O-ring	
19	O6019	Pre-Dive / Dive Control	
20	O6020	Tube	


No.	Item No.	Description		
21	O6021	Pin		
22	O6022	L.P. Seat		
23	O6023	Shuttle		
24	O6024	O-ring		
25	O6025	Spring		
26	O6026	Balancing Cap		
27	O6027	Lever		
28	O6028	O-ring		
29	O6029	Adjustment Knob		
32	O6032	Purge Button Holder		
33	O6033	Purge Button		

050 EXPLODED VIEW




No.	Item No.	Description	No.	Item No.	Description
1	O500	MAIN HOUSING	16	O5016	O-RING
2	-	ZIP TIE	17	O5017	ORIFICE
3	MP5BS	SILICONE MOUTHPIECE	18	O5018	NUT WITH NYLON INSERT
4	O5004	EXHAUST VALVE	19	O5019	SPACER
5	O5005	EXHAUST TEE	20	O5020	LEVER
6	O5006	DIAPHRAGM	21	O5021	SPACER
7	O5007	DIAPHRAGMWASHER	22	O5022	INLET TUBE
8	O5008	PURGE COVER	23	O5023	O-RING
9	O5009	PURGE SPRING	24	O5024	VENTURI VANE
10	O5010	PURGE BUTTON	25	O5025	LOCK RING
11	O5011	VALVE SPRING	26	O5026	O-RING
12	O5012	POPPET VALVE	27	O5027	SIDE PLUG
13	O5013	LOW PRESSURE SEAT	28	O5028	SS CLIP
14	O5014	O-RING	29	O5029	O-RING
15	O5015	NUT	30	O5030	DEFLECTOR


PROEAR EXPLODED VIEW





No.	ITEM NO.	EM NO. DESCRIPTION	
1	6710	NUT	
2	6709	SKIRT TAP	
3	6707	COLLAR	
4	6708	DUCK VALVE	
5	6713	VALVE CASE	
6	6714	TUBING / BS OR C	
7	6712	CONNECTOR	
8	6701	EAR CAP-R / BS OR C	
9	6704	EAR CAP FRAME-R / CB OR BK	
10	6705	EAR CAP F.COVER-R / CB OR BK OR C	
11	6702	EAR CAP-L / BS OR C	
12	6703	EAR CAP FRAME-L / CB OR BK	
13	6706	EAR CAP F.COVER-L / CB OR BK OR C	
14	SF	MASK STRAP RETAINER / BK OR C	
15	MS80	SILICONE MASK STRAP	
16	MS16	NEOPRENE MASK STRAP	

SERVICE KITS EXPLODED VIEW












SERVICE KITS EXPLODED VIEW







HELP SAVE THE OCEAN



Buy Our Product Make A Difference







